This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re National Stage of International Application No. PCT/FR01/00229 of:) }
Véronique FERRARI))
Application No.: 09/937,314)) Group Art Unit: Unassigne
Filed: September 24, 2001)) Examiner: Unassigned
371(c) date: December 6, 2001))
For: A TRANSFER-FREE MASCARA COMPOSITION COMPRISING AT LEAST ONE VOLATILE SOLVENT AND AT LEAST ONE POLYMER (AS AMENDED)))))
Commissioner for Patents P.O. Box 1450	

Alexandria, VA 22313-1450

Sir:

SECOND PRELIMINARY AMENDMENT

Prior to examination of the above-identified application, please amend the application as follows.

Amendments to the Specification are included in this paper.

Amendments to the Claims are reflected in the listing of claims in this paper.

Remarks follow the amendment section of this paper at page 13.

Attachments to this amendment include:

International Cosmetic Ingredient Dictionary and Exhibit 1 -Handbook ("CTFA") page 606

- Exhibit 2 Certified Translation of French Priority Document
- **Exhibit 3** Pending Claims in Copending Applications

AMENDMENTS TO THE SPECIFICATION:

Please amend the Title as follows:

A TRANSFER-FREE MASCARA COMPOSITION COMPRISING AT LEAST
ONE FATTY PHASE THAT IS STRUCTURED WITH VOLATILE SOLVENT AND AT
LEAST ONE POLYMER

Please amend the Abstract as follows:

The invention relates to a physiologically acceptable, in particular <u>mascara</u>, cosmetic composition comprising at least one liquid fatty phase comprising at least one volatile solvent, the liquid fatty phase being structured by <u>and</u> at least one polymer <u>chosen from polymers of following formula (I):</u>

in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R¹ is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R² independently represents, in each case, a C₄ to C₄₂ hydrocarbonaceous group, provided that 50% of the R² groups represent a C₃₀ to C₄₂ hydrocarbonaceous group; R³ independently represents, in each case, an organic group provided with at least 2

carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R⁴ independently represents, in each case, a hydrogen atom, a C₁ to C₁₀ alkyl group or a direct bond to R³ or another R⁴, so that the nitrogen atom to which both R³ and R⁴ are bonded forms part of a heterocyclic structure defined by R⁴-N-R³, with at least 50% of the R⁴ groups representing a hydrogen atom. with a weight-average molecular mass of less than or equal to 100 000, comprising a) a polymer backbone having hydrocarbonaceous repeat units provided with at least one heteroatom and b) optionally functionalized pendant and/or end fatty chains having from 6 to 120 carbon atoms which are bended to these units, the liquid fatty phase and the polymer forming a physiologically acceptable medium. This composition is provided in particular in the form of a stick of lipstick, the application of which results in a notable glossy and transfer free layer with good hold over time.

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-132. (Canceled)

- 133. (New) A method of making a mascara comprising including in said mascara:
 - (i) at least one volatile solvent,
 - (ii) at least one polymer chosen from polymers of following formula (I):

in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R¹ is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R² independently represents, in each case, a C₄ to C₄₂ hydrocarbonaceous group, provided that 50% of the R² groups represent a C₃₀ to C₄₂ hydrocarbonaceous group; R³ independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen

atoms; and R⁴ independently represents, in each case, a hydrogen atom, a C₁ to C₁₀ alkyl group or a direct bond to R³ or another R⁴, so that the nitrogen atom to which both R³ and R⁴ are bonded forms part of a heterocyclic structure defined by R⁴-N-R³, with at least 50% of the R⁴ groups representing a hydrogen atom;

- (iii) water;
- (iv) at least one coloring agent; and
- (v) at least one preservative.
- 134. (New) The method for making a mascara according to claim 133, wherein said at least one volatile solvent is chosen from isododecane.
- 135. (New) The method for making a mascara according to claim 134, wherein said at least one polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.
- 136. (New) The method for making a mascara according to claim 135, wherein said mascara further comprises PVP.
- 137. (New) The method for making a mascara according to claim 133, wherein said mascara further comprises PVP.

- 138. (New) The method of making a mascara according to claim 133, further comprising a liquid fatty phase structured by said at least one polymer.
- 139. (New) A method of making a mascara comprising including in said mascara:
 - (i) at least one volatile solvent;
- (ii) at least one polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
 - (iii) water;
 - (iv) at least one coloring agent; and
 - (v) at least one preservative.
- 140. (New) A method for making up eyelashes comprising applying to said eyelashes a mascara comprising:
 - (i) at least one volatile solvent;
 - (ii) at least one polymer chosen from polymers of following formula (I):

in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R¹ is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R² independently represents, in each case, a C₄ to C₄₂ hydrocarbonaceous group, provided that 50% of the R² groups represent a C₃₀ to C₄₂ hydrocarbonaceous group; R³ independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R⁴ independently represents, in each case, a hydrogen atom, a C₁ to C₁₀ alkyl group or a direct bond to R³ or another R⁴, so that the nitrogen atom to which both R³ and R⁴ are bonded forms part of a heterocyclic structure defined by R⁴-N-R³, with at least 50% of the R⁴ groups representing a hydrogen atom;

- (iii) water;
- (iv) at least one coloring agent; and
- (v) at least one preservative.
- 141. (New) The method for making up eyelashes according to claim 140, wherein said at least one volatile solvent is chosen from isododecane.
- 142. (New) The method for making up eyelashes according to claim 141, wherein said at least one polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.

- 143. (New) The method for making up eyelashes according to claim 142, wherein said mascara further comprises PVP.
- 144. (New) The method for making up eyelashes according to claim 140, wherein said mascara further comprises PVP.
- 145. (New) The method for making up eyelashes according to claim 140, wherein said mascara further comprises a liquid fatty phase structured by said at least one polymer.
- 146. (New) A method for making up eyelashes comprising applying to said eyelashes a mascara comprising:
 - (i) at least one volatile solvent;
- (ii) at least one polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
 - (iii) water;
 - (iv) at least one coloring agent; and
 - (v) at least one preservative.
 - 147. (New) A method for making a mascara comprising mixing:
 - (i) at least one volatile solvent;
 - (ii) at least one polymer chosen from polymers of following formula (I):

in which n denotes a number of amide units, such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R¹ is, in each case, independently an alkyl or alkenyl group having at least 4 carbon atoms; R² independently represents, in each case, a C₄ to C₄₂ hydrocarbonaceous group, provided that 50% of the R² groups represent a C₃₀ to C₄₂ hydrocarbonaceous group; R³ independently represents, in each case, an organic group provided with at least 2 carbon atoms, with hydrogen atoms and optionally with one or more oxygen or nitrogen atoms; and R⁴ independently represents, in each case, a hydrogen atom, a C₁ to C₁₀ alkyl group or a direct bond to R³ or another R⁴, so that the nitrogen atom to which both R³ and R⁴ are bonded forms part of a heterocyclic structure defined by R⁴-N-R³, with at least 50% of the R⁴ groups representing a hydrogen atom;

- (iii) water;
- (iv) at least one coloring agent;
- (v) at least one preservative; and
- (vi) at least one neutralizing agent.

- 148. (New) The method for making a mascara according to claim 147, wherein said at least one volatile solvent is chosen from isododecane.
- 149. (New) The method for making a mascara according to claim 148, wherein said at least one polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.
- 150. (New) The method for making a mascara according to claim 149 wherein said mascara further comprises PVP.
- 151. (New) The method for making a mascara according to claim 148, wherein said mascara further comprises PVP.
- 152. (New) The method for making a mascara according to claim 147, wherein said mascara further comprises a liquid fatty phase structured by said at least one polymer.
 - 153. (New) A method for making a mascara comprising mixing:
 - (i) at least one volatile solvent;
- (ii) at least one polymer chosen from ethylenediamine/stearyl dimer tallate copolymer;
 - (iii) water;

- (iv) at least one coloring agent;
- (v) at least one preservative; and
- (vi) at least one neutralizing agent.

Remarks

I. Status of the Claims

Claims 1-42 were previously canceled without prejudice, and claims 43-132 are canceled herein without prejudice. Claims 133-153 have been added and are the only pending claims.

Support for new claims 133-153 can be found in the application as originally filed. For the Examiner's convenience, Applicant points out in the following Table 1, the specific written description support in the specification for the elements of claims 133-153.

Table 1.

<u>Element</u>	Support in Specification
A method of making a mascara	See page 7, II. 20-21, describing
	"products for making up the eyes,
	such as mascaras." See also
	pages 38 to 40, Examples 1 and
	2, conveying how to make a
	cosmetic composition, i.e., a
	lipstick. Accordingly, the
	disclosure as a whole reasonably
	conveys how to make other
	cosmetic compositions, such as
	mascara, without undue
	experimentation.
At least one volatile solvent	See pages 6, I. 24 to page 7, I. 21
	and page 24 I. 23 to page 25, I. 6.
At least one polymer chosen from polymers of	See page 13, I. 12 to page 14, I.
following formula (I):	11.

	<u> </u>
R' R'	
R^{1} —O—[— C — R^{2} — C — N — R^{3} — N —] $_{n}$ — C — R^{2} — C — C — R^{1} (I)	
0 0 0	
in which n denotes a number of amide units, such	
that the number of ester groups represents from	
10% to 50% of the total number of ester and	
amide groups; R ¹ is, in each case, independently	
an alkyl or alkenyl group having at least 4 carbon	
atoms; R ² independently represents, in each case,	
a C ₄ to C ₄₂ hydrocarbonaceous group, provided	
that 50% of the R ² groups represent a C ₃₀ to C ₄₂	
hydrocarbonaceous group; R ³ independently	
represents, in each case, an organic group	
provided with at least 2 carbon atoms, with	
hydrogen atoms and optionally with one or more	
oxygen or nitrogen atoms; and R ⁴ independently	
represents, in each case, a hydrogen atom, a C ₁	
to C ₁₀ alkyl group or a direct bond to R ³ or another	
R ⁴ , so that the nitrogen atom to which both R ³ and	
R ⁴ are bonded forms part of a heterocyclic	
structure defined by R ⁴ -N-R ³ , with at least 50% of	·
the R ⁴ groups representing a hydrogen atom	
Water	See page 28, II. 1-5, stating that
	the inventive compositions may
	comprise an aqueous phase
	comprising water.
At least one coloring agent	See page 27, I. 13, disclosing that
g agom	the inventive compositions may
	comprise coloring materials. See
	also page 30, l. 4 to page 31, l.
	also page 50, i. 4 to page 51, i. 13.
At least one preservative	See page 27, I. 14, disclosing that
The state of the production of the state of	the inventive composition may
	comprise preservatives.
At least one neutralizing agent	See page 27, II. 15-16, disclosing
	that the inventive composition
	may comprise neutralizing agents.

Isododecane	Soo page 26 II 25 26 particularly
ISOUUUELAITE	See page 26, II. 25-26, particularly mentioning the use of
	isododecane as a volatile solvent;
	see also page 24, I.6, particularly
	mentioning the use of
	isododecane as an oil.
Ethylenediamine/stearyl dimer tallate copolymer	See page 15, l. 23 to page 16, l. 4
2 any to rediction to course difficient tallate copolylines	of the specification reciting
	Uniclear and that Uniclear is "a
	blend of copolymer of a C ₃₆ diacid
	condensed with ethylene-
	diamine." See also International
	Cosmetic Ingredient Dictionary
	and Handbook ("CTFA") page 606
	(attached herewith as Exhibit 1),
	reciting that
	ethylenediamine/stearyl dimer
	tallate copolymer is at least one
	copolymer of ethylenediamine and
	tall oil dimer acid monomers, end-
	blocked with stearyl alcohol and
	further reciting that a trade name
	for ethylenediamine/stearyl dimer
	tallate copolymer is Uniclear.
	Thus, the specification reasonably
	conveys the use of at least one
	ethylenediamine/stearyl dimer
	tallate copolymer to make a
	mascara and the use for making-
	up eyelashes using a mascara
	comprising at least one
	ethylenediamine/stearyl dimer
	tallate copolymer.
PVP	See page 33, Il. 15-25, disclosing
	that the inventive compositions
	may comprise PVP.
A liquid fatty phase structured by at least one	See page 1, II. 3-7, disclosing that
polymer	the inventive compositions
	comprise "a liquid fatty phase
	including a volatile solvent,
	structured by a specific polymer."
A method for making up eyelashes	See page 7, II. 20-21, describing
	"products for making up the eyes,
	such as mascara." It is

·			known that mascara is applied to
	•	-	
			eyelashes. See also page 37, II.
		•	12-18, disclosing further subject
			matter of the invention as "a
			cosmetic process for caring for,
	•	•	making up or treating human
		10 m	keratinous substances and in
			particular superficial body
			growths." It is known that
	• .		eyelashes are superficial body
		•	growths.
Mixing	· · ·		
IVIAIII			See pages 38 to 40, Examples 1
	·	:	and 2, conveying that various
			combined components are
			"mixtures." Thus the disclosure as
· ·			a whole reasonably conveys
			mixing components to make a
			mascara composition, disclosed at
		·	page 7, II. 20-21.
			Page 1, 11 20 21.

Notably, not all the claims set forth above recite "a liquid fatty phase being structured by at least one polymer" as was recited in original independent claim 1. See also page 1, lines 3-7 of the specification. Such a phrase can be left out of the claims without constituting new matter. In particular, the portion of the specification from page 6, line 24 to page 7, line 23, more generally discloses, including for use in a mascara, the use of specific polymers in combination with at least one volatile salt to achieve notable cosmetic properties. Significantly, at page 7, beginning at line 24, the specification recites that "more specifically," a subject matter of the invention is a structured composition, the liquid fatty phase being structured by at least one polymer. In view of the phrase, "more specifically," it is not necessary to limit all the claims to an embodiment wherein a liquid fatty phase is structured by at least one polymer.

Therefore, all claims 133-153 are in compliance with the written description requirement of 35 U.S.C. § 112, first paragraph.

The Title and Abstract have been amended to more accurately describe the presently claimed invention. Support for the new Title and Abstract can be found throughout the application as originally filed, and as discussed above. Accordingly, no new matter has been added.

II. U.S. Patent No. 6,497,861 to Wang et al.

As referenced in the Information Disclosure Statement filed herewith, Applicant is aware of U.S. Patent No. 6,497,861 to Wang et al. ("Wang"), filed on June 21, 2001. However, the Applicant does not believe that this patent is prior art with respect to the present application. In this regard, Applicant points out that the instant application is an entry into the national phase of PCT Application WO 01/52799, which has an international filing date of January 24, 2001, which antedates the filing date of Wang. The instant application is an English translation of the international application, and thus claims 133-153 have full 35 U.S.C. § 112, first paragraph, support in this international application. PCT Application WO 01/52799 in turn relies on French Patent Application No. 00 00920, filed January 24, 2000, in France. Attached herewith as Exhibit 2 is a certified English translation of the French Patent Application No. 00 00920. Claims 133-153 have full § 112, first paragraph, support in this French priority document, as explained in the following table:

Table 2.

Element	Support in French Patent Application No. 00 00920		
A method of making a mascara	See page 7, second full		
, thousand of maxing a massara	paragraph, describing "make-up products for the eyes such as		
	mascaras " See also pages		
	36 to 38, Examples 1 and 2		
	conveying how to make a		
	cosmetic composition, i.e., a		
	lipstick. Accordingly, the		
	disclosure as a whole reasonably		
	conveys how to make other		
	cosmetic compositions, such as		
	mascara, without undue		
	experimentation.		
At least one volatile solvent	See paragraph bridging pages 6		
	and 7, as well as page 22, third		
	full paragraph.		
At least one polymer chosen from polymers of	See paragraph bridging pages 11		
following formula (I):	and 12.		
	·		
D4 D4			
R'-C-I-C-R ² -C-N-R ³ -N-1-C-R ² -C-O-R' (I)			
R'-O-{-C-R²-C-N-R³-N-] _n -C-R²-C-O-R¹ (I)	·		
U V V			
in which a denotes a number of amide waite			
that the number of ester groups represents from			
10% to 50% of the total number of ester and			
amide groups; R ¹ is, in each case, independently			
an alkyl or alkenyl group having at least 4 carbon			
atoms; R ² independently represents, in each case,			
a C ₄ to C ₄₂ hydrocarbonaceous group, provided			
that 50% of the R ² groups represent a C ₃₀ to C ₄₂			
hydrocarbonaceous group; R ³ independently			
represents, in each case, an organic group			
representa, in each case, an organic group			

	· · · · · · · · · · · · · · · · · · ·
provided with at least 2 carbon atoms, with	
hydrogen atoms and optionally with one or more	
oxygen or nitrogen atoms; and R ⁴ independently	
represents, in each case, a hydrogen atom, a C ₁	•
to C ₁₀ alkyl group or a direct bond to R ³ or another	
R ⁴ , so that the nitrogen atom to which both R ³ and	·
R ⁴ are bonded forms part of a heterocyclic	
structure defined by R ⁴ -N-R ³ , with at least 50% of	
the R ⁴ groups representing a hydrogen atom	
Water	See page 25, first full paragraph,
Traici	stating that the inventive
	compositions may contain an
A4 lagged and a selection and	aqueous phase containing water.
At least one coloring agent	See page 24, third line of the
	fourth paragraph, disclosing that
	the inventive compositions may
	comprise dyestuffs. See also
	page 27, first full paragraph to
	page 28, first full paragraph.
At least one preservative	See page 24, fourth line of the
	fourth paragraph, disclosing that
	the inventive composition may
	comprise preserving agents.
At least one neutralizing agent	See page 24, sixth line of the
	fourth paragraph, disclosing that
	the inventive composition may
	comprise neutralizing agents.
Isododecane	See page 23, second full
	paragraph, particularly mentioning
	the use of isododecane as a
	volatile solvent; see also page 21,
	I. 20 of the first paragraph,
	particularly mentioning the use of
	isododecane as an oil.
Ethylenediamine/stearyl dimer tallate copolymer	See page 14, first full paragraph,
	reciting Uniclear and that Uniclear
	is "a mixture of copolymers of a
	C ₃₆ diacid coupled with ethylene-
	diamine." See also International
	Cosmetic Ingredient Dictionary
	and Handbook ("CTFA") page 606
	(attached herewith as Exhibit 1),
	reciting that

	ethylenediamine/stearyl dimer
	tallate copolymer is at least one
	copolymer of ethylenediamine and
	tall oil dimer acid monomers, end-
	blocked with stearyl alcohol and
	further reciting that a trade name
	for ethylenediamine/stearyl dimer
	tallate copolymer is Uniclear.
	Thus, the specification reasonably
	conveys the use of at least one
	ethylenediamine/stearyl dimer
	tallate copolymer to make a
	mascara and the use for making-
	up eyelashes using a mascara
	comprising at least one
	ethylenediamine/stearyl dimer
D) (D	tallate copolymer.
PVP	See page 30, second full
	paragraph, disclosing that the
	inventive compositions may
	comprise PVP.
A liquid fatty phase structured by at least one	See page 1, II. 4-6 of the first
polymer	paragraph, disclosing that the
	inventive compositions comprise
	"a liquid fatty phase comprising a
	volatile solvent, structured with a
	specific polymer."
A method for making up eyelashes	See page 7, second full
	paragraph, describing "make-up
	products for the eyes, such as
—	mascara." It is known that
	mascara is applied to eyelashes.
	See also page 34, second full
	paragraph, disclosing further
	subject matter of the invention as
	"a cosmetic care, make-up or
	treatment process for the keratin
	materials of human beings, and in
	particular superficial body
	growths." It is known that
	eyelashes are superficial body
	growths.
Mixing	
T	See pages 36 to 38, Examples 1 and 2, conveying that various

combined components are
"mixtures." Thus the disclosure as
a whole reasonably conveys
mixing components to make a
mascara composition, disclosed at
page 7, line 12 of the second full
paragraph.

As can be seen from Table 2, claims 133-153 have full 35 U.S.C. § 112, first paragraph support in the French priority application, and hence are entitled to date benefit of the January 24, 2000, priority claimed.

Nor does Applicant believe that the claims presented herein define the same patentable invention as any of those recited in the claims of Wang. Hence, Applicant does not believe that there is any interfering subject matter between the present claims and those of Wang.

III. U.S. Patent Nos. 5,783,657 to Pavlin et al, 6,242,509 to Berger et al. and Bush Boake Allen

As referenced in the Information Disclosure Statements filed on December 6, 2001, and herewith, Applicant is aware of U.S. Patent Nos. 5,783,657 to Pavlin et al., 6,242,509 to Berger et al. and the Technical Services Bulletin of Bush Boake Allen. While these references are prior work of the supplier of one of the polyamide polymers for use in the present invention, Applicant does not believe that any of these references, taken alone or in combination, teaches or suggests the invention as presently claimed.

IV. Patentability over Copending Applications and Patents Issued Therefrom Cited in Information Disclosure Statements

For the Examiner's convenience, Applicant identifies in Table 3 below all of the related copending applications listed on the PTO Forms 1449 filed on November 4, 2003, including filing date, assignment, and inventor information. This should assist the Examiner in assessing any possible issues under statutory double patenting. The assignment information is included because it relates to issues of terminal disclaimer and potential 35 U.S.C. §§ 102(e)/103 issues discussed below.

Table 3.

Attorney Docket No.	Application	Date/	Inventors	Title	Recorded	Publication, Date
NO:	No.	371 (c) Date			(Reel, Frame, Date)	
05725.	09/733,899	December	Mohamed	COSMETIC	Reel 011723,	U.S.
0594-	н	12, 2000	KANJI,	COMPOSITIONS	Frame 0503,	Published
00000			Carl ORR;	CONTAINING AT	on April 20	Application
			and Carlos	LEAST ONE	2001	No. US
		× ×	O. PINZON	HETERO		2002/011477
·				POLYMER AND		3 A1
				AT LEAST ONE	÷	Dated:
		,		FILM-FORMING	·	August 22,
1 .	×	. *		SILICONE		2002
	×			RESIN AND		
1	×	•		METHODS OF	×	7
05725.	00/722-000	D		USING		
05725.	09/733,900	December	Carlos O.	COSMETIC	Reel 011639,	U.S.
00000		12, 2000 ⁻	PINZON	COMPOSITIONS	Frame 0897,	Published
100000			and Paul THAU	CONTAINING	on March 23,	Application
	×		ITAU	HETEROPOLY-	2001	No. US
				MERS AND OIL-		2002/012278
				SOLUBLE CATIONIC		1 A1
	,		×	SURFACTANTS	*	(Republished US
	. *			AND METHODS	·	2003/008212
* .				OF USING		6A9 on May
				SAME		1, 2003)
				· · · · ·		Dated:
×				×	*	September 5,
N ×					* *	2002
05725.	09/618,066	July 17,	Véronique	COMPOSITIONS	Reel 011057,	N/A: Will not
0656-		2000	FERRARI	IN RIGID FORM	Frame 0676,	publish

ı	Attorna		I III CSEILE				
	Attorney	U.S. Patent	O'S' Filling	unventors	THE T	Assignment	
	DOCKET	Application	t Date/		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Recorded	Date
- 1	No.	No.	37/1 (c)			(Reel,	
	4 4 4 4 h		Date	The Law St.		Frame, Date)	A MANAGE
	00000			and Pascal	STRUCTURED	on ·	
				SIMON	WITH A	September	
ı					POLYMER	11, 2000	
ſ	05725.	09/685,577	October	Véronique	COMPOSITIONS	Reel 011455	N/A: Will not
	0656-		11, 2000	FERRÁRI	IN RIGID FORM	Frame 0203.	publish
- }	01000			and Pascal	STRUCTURED	on January	, pas
-1				SIMON	WITH A	22, 2001	·
					POLYMER	22, 2001	
ŀ	05725.	09/618,032,	July 17,	Véronique	COMPOSITION	Reel 011057,	U.S. Patent
	0659-	issued on	2000	FERRARI	CONTAINING A		No.
	00000	June 11,	2000	LIXIVAN	LIQUID FATTY	Frame 0007,	
	.00000	2002, as U.S.				ОП	6,402,408
	•		•	•	PHASE GELLED	September	Dated: June
		Patent No.			WITH A	12, 2000	11, 2002
	•	6,402,408			POLYAMIDE		
					CONTAINING		
	*				ESTER END		
					GROUPS	<u>'</u>	
	05725	09/685,578	October	Véronique	COMPOSITION	Reel 011549,	N/A: Will not
ı	0659-		11, 2000	FERRARI	CONTAINING A	Frame 0914,	publish
	01000				LIQUID FATTY	on February	
		· :			PHASE GELLED	20, 2001	
١					WITH A		
1					POLYAMIDE		·
ı	1				CONTAINING	•	
					ESTER END		•
	•				GROUPS		
ŀ	05725.	10/182,830	August 2,	Roberto	USE OF	Reel 014040,	U.S.
	0795-	10/102,000	2002	CAVA-	POLYAMIDE	Frame 0345,	Published
-	01000		2002	ZZUTI,	POLYMER IN A		
1			371 (c)			on May 7,	Application
1				Véronique	MASCARA	2003	No.
			Date.	FERRARI,	COMPOSITION		2003/014783
			January	Brian	COMPRISING		7 A1
	, 1	•	·21, 2003	MATTOX,	AT LEAST ONE		Dated:
	-			Carlos O.	SOLID	•	August 7,.
1		•	,	PINZON,	SUBSTANCE		2003
	•		-	and Paul	HAVING A	•	
		· '. '.		THAU	MELTING POINT	.]	
	•	•			OF 45°C OR		•
L					GREATER		
	05725.	Not yet	February	Roberto	METHOD OF	Reel 014040,	Not yet
	0795-	assigned	27, 2004	CAVA-	MAKING A	Frame 0345,	published
	02000	_	м	ZZUTI,	MASCARA	on May 7	
1	•			Véronique	COMPOSITION	2003	н .
				FERRARI,	COMPRISING		
ļ	, and the second		×	Brian	POLYAMIDE	×	
	^	ж		MATTOX,	POLYMER AND	·	
				Carlos O.	AT LEAST ONE		
				PINZON,			
. L				FINAUN;	SOLID	×	*

Attor	ney	U.S. Patenti	U.S.Filing	Inventors	្រែក្រុម	Assignment	Publication,
Doc		Application	Date/	Marie 17. A	1944 166	Recorded	Date Date
* No		No:	371 (c)	Linda.	and the second	∮ (Reel, V	
	75 A	2 28 34 4	Date			Frame, Date)	
				and Paul	SUBSTANCE		×
				THAU	HAVING A		
					MELTING POINT OF 45°C OR	•	
					GREATER		
05725	5.	09/733,896	December	Carlos O.	COMPOSITIONS	Reel 011765,	U.S.
0806-			12, 2000	PINZON	CONTAINING	Frame 0183,	Published
00000)			and Paul	HETEROPOLY-	on April 26,	Application
1				THAU	MERS AND OIL-	2001	No. US
				· · · · · ·	SOLUBLE		2002/012003
			, ·		POLYMERS		6 A1
					AND METHODS	·	(Republished
					OF USING	<u>.</u>	US
					SAME		2003/012542
		4.5					7 A9 on July
	•				×	× ×	3, 2003)
							Dated:
			-				August 29,
05725		09/733,898	December	Carlos O.	COMPOSITIONS	Reel 011654,	2002 U.S.
0808-		307700,000	12, 2000	PINZON,	CONTAINING	Frame 0869,	Published
00000			12, 2000	Paul	HETEROPOLY-	on April 2,	Application
		• . •		THAU, and	MERS AND OIL-	2001	No. US
				Isabelle	SOLUBLE		2002/010731
•] •		ж		BARA	ESTERS AND		4 A1
1.					METHODS OF	٠.	Dated:
				•	USING SAME	x ·	August 8,
05705	٠.		×				2002
05725		09/733,897	December	Carlos O.	COMPOSITIONS	Reel 011646,	U.S.
0809-	*	*	12, 2000	PINZON and Paul	CONTAINING	Frame 0966,	Published
00000	'		×	and Paul THAU	HETEROPOLY- MERS AND	on April 4,	Application
1		St. Company		111/10	METHODS OF	2001	No. US 2002/011133
	·				USING SAME		0 A1
					-0 or with	• ⁶ х н	Dated:
		. ·	٠.			·	August 15,
·						*	2002
05725		10/203,018	August 5,	Véronique	USE OF	Reel 014055,	U.S.
0816-			2002	FERRARI,	POLYAMIDE :	Frame 0428,	Published :
01000			074	Richard	POLYMER IN A	on March 24,	Application
1.			371 (c)	KOLOD-	MASCARA	2003	No. US
'			Date:	ZIEJ,	COMPOSITION		2003/016184
	٠.		March 24, 2003	Carlos O. PINZON	COMPRISING AT LEAST ONE		8 A1
			2005	and Paul	INERT FILLER	. ×	Dated:
				THAU	INCIN FILLER	ж	August 28, 2003
05725		Not yet	February	Véronique	METHOD OF	Reel 014055,	Not yet
0816-		assigned	27, 2004	FERRARI.	MAKING A	Frame 0428,	published
<u> </u>		<u> </u>					

Docket No.	U.S. Patent Application No.	U.S. Filling Date/ 371 (c) Date		Title	Assignment Recorded (Reel: Frame, Date)	Publication Paro
02000			Richard	MASCARA	on March 24,	
			KOLOD-	COMPOSITION	2003	
*	- м		ZIEJ,	COMPRISING A		
	·		Carlos O.	POLYAMIDE		
			PINZON,	POLYMER AND		
			and Paul	AT LEAST ONE		
			THAU	INERT FILLER		
05725.	10/203,254	August 7,	Véronique	COSMETIC	Reel 013607,	U.S.
0817-		2002	FERRARI,	COMPOSITIONS	Frame 0258,	Published
01000			Carlos O.	CONTAINING AT	on December	Application
		371 (c)	PINZON,	LEAST ONE	20, 2002	No. US
		Date:	and Paul	HETEROPOLY-	LO, LOOL	2003/018578
		December	THAU	MER AND AT		0 A1
		20, 2002		LEAST ONE		Dated:
	•. :	,		GELLING		October 2,
· ×			И	AGENT AND		2003
•				METHODS OF		2000
	*			USING THE		
				SAME		
05725.	10/129,377	May 3,	Véronique	COMPOSITION	Filed October	Not yet
0819-		2002	FERRARI	STRUCTURED	16, 2002 Not	published
01000				WITH A	yet recorded.	pablioned
1 .		371 (c)	-	POLYMER		
•		Date:		CONTAINING A		
· .		October	•	HETEROATOM		
		16, 2002		AND AN	ж.	
		·	-	ORGANOGELL-		
				ATOR		
05725.	09/749,036	December	Véronique	COMPOSITION	Reel 011723,	U.S.
0832-		28, 2000	FERRARI	COMPRISING	Frame 0518,	Published
00000	*		and	AT LEAST ONE	on April 20,	Application
		***	Véronique	HETERO	2001	No. US
Ϊ.	×		JACQUES	POLYMER AND		2001/003128
	· 1			AT LEAST ONE		0 A1
	·			PASTY FATTY		Dated:
	,		* :· ·	SUBSTANCE		October 18,
				AND METHODS		2001
				FOR USE		
05725.	09/971,028	October 5,	Mohamed	METHODS OF	Reel 012411,	U.S.
0895-	1	2001	KANJI	USE AND OF	Frame 0820,	Published .
00000				MAKING A	on December	Application
·		. •	i	MASCARA	28, 2001	No US
			ļ	COMPRISING		2003/008688
	· [AT LEAST ONE		3 A1
	÷			COLORING	*	Dated: May
				AGENT AND AT		8, 2003
. *				LEAST ONE		
				HETEROPOLYM		. ×.

Attorney	INSTPATENT	.U.S.Filing	loventors	THE THE	Assignment	Publication,
Docket	Application				Recorded	Date
No. W	No.	37/1 (c)	AL BUT I		(Reel,	
		Date		THE WAY THE	Frame, Date)	
				ER		
05725.	10/413,217	April 15,	Mohamed	METHODS OF	Reel 012411,	U.S.
0895-		2003	KANJI	USE AND OF	Frame 0820,	Published
01000	×			MAKING A	on December	Application
•		1 .		MASCARA COMPRISING	28, 2001	No. US
		×	* .	AT LEAST ONE		2003/019861 3 A1
	*			COLORING	*	Dated:
			N	AGENT AND AT		October 23,
				LEAST ONE	×	2003
:		, .		POLYAMIDE	ж -	н
				POLYMER .		
		ж		CHOSEN FROM		
				ETHYLENEDIAM		
				INE/STEARYL DIMER TALLATE		*
×].			COPOLYMER	*	
05725.	10/699,780	November	Sue FENG	METHODS OF	Reel 012411.	Not yet
0895-		4, 2003	and	DISPERSING AT	Frame 0820,	published
02000			Mohamed	LEAST ONE	on December	· .
	·		KANJI	COLORING	28, 2001	
				AGENT USING		
				AT LEAST ONE HETEROPOLY-	* .	. *
				MER		м -
05725.	10/198,931	July 22,	Mohamed	COMPOSITIONS	Reel 013410,	U.S.
0896-		2002	KANJI	COMPRISING	Frame 0044,	Published
00000				AT LEAST ONE	on October	Application
				HETEROPOLY-	21, 2002	No. US
×		×	-	MER AND	· .	2004/001362
				FIBERS, AND		5 A1
	N N part Pri	ж		METHODS OF USING THE		Dated: January 22,
				SAME		2004
05725.	09/899,909,	July 9,	Isabelle	TRANSPARENT	Reel 012278,	U.S. Patent
0920-	issued on	2001	BARA	SCENTED	Frame 0077,	No.
00000	August 13,	×		SOLID	on October	6,432,391
	2002 as U.S.		× •.	COSMETIC	23, 2001	Dated:
. *	Patent No. 6,432,391			COMPOSITION	. ×	August 13,
	U ₁ 704,331		•			2002.
05725.	09/937,314	September	Véronique	A TRANSFER-	Reel 012476,	Not yet
0932-	×	24, 2001	FERRARI	FREE	Frame 0507,	published
00000				MASCARA	on January	×
		371 (c)		COMPOSITION	17, 2002	Ì
*		Date:		COMPRISING	-	*
×	·	December	,	AT LEAST ONE		ж
		6, 2001		VOLATILE	*	<u> </u>

1	Attorney	1 U.S. Patent		la lavas tava	E Booked III	N. A. C. T. C.	·
		Application	Date/	inventors	Ifitte	Assignment Recorded x	
	No.	No.	371 (c) 1			(Reel,	Date
	B	* * * * * * * * * * * * * * * * * * * *	Date	THE SECTION		Frame, Date)	
1				AL 146 A. A.	SOLVENT AND	manne, Date	No.
					AT LEAST ONE		*
					POLYMER	· ·	
ŀ	05725.	10/012,029	December	Nathalie	COSMETIC	Reel 013142,	U.S.
	1003-	10/012,020	11, 2001	COLLIN	COMPOSITION	Frame 0645,	Published
	00000		11, 2001	OOLLIN	COMPRISING A	on August 1,	Application
	00000		. н		POLYMER	2002	No. US
ľ					BLEND		2003/001276
i							4 A1
				· ·			Dated:
	•			l.			January 16,
						1	2003
•	05725.	10/012,051	December	Nathalie	USE OF AT	Reel 012847,	U.S.
	1004-		11, 2001	COLLIN	LEAST ONE	Frame 0285,	Published
	00000				POLYAMIDE	on April 30,	Application
	×				POLYMER IN A	2002	No. US
					MASCARA FOR		2002/018903
					RAPIDLY		0 A1
				•	INCREASING		Dated:
١	н			×	THE AMOUNT		December
1					OF MAKE-UP		19, 2002
					DEPOSITED ON		
ŀ		10/01000			EYELASHES		
	05725.	10/012,052	December	Nathalie .	COSMETIC	Reel 012847,	U.S.
1	1005-		11, 2001	COLLIN	COMPOSITION	Frame 0264,	Published
	00000		-		CONTAINING A	on April 30,	Application
	• •	*			WAX AND A	2002	No. US
		×			POLYMER		2002/016833
							5 A1
	•.*	*			. :		Dated: November
				* •			14, 2002
f	05725.	10/046,568	January	Xavier	NAIL POLISH	Reel 013109,	U.S.
	1018-		16, 2002	BLIN,	COMPOSITION	Frame 0731,	Published
	00000		-, 	Véronique	COMPRISING A	on July 18,	Application
				FERRARI,	POLYMER	2002	No US
				and			2002/019216
×				Frédéric	. •		8 A1
		-		AUGUSTE			Dated:
	: ·		·	•			December
Ĺ				· · · · · · · · · · · · · · · · · · ·			19, 2002
1	05725.	10/047,987	January	Véronique	COSMETIC	Reel 012910,	U.S.
	1020-		17, 2002	FERRARI	COMPOSITION	Frame 0028,	Published
	00000		•		COMPRISING A	on May 17,	Application
		i		.	POLYMER AND	2002	No. US
					A FLUORO OIL		2002/017269
							6 A1
, L		<u>.</u>					Dated:

	500 Maria 100 Ma		THE PARTY OF THE P				
	Attorney	U.S. Patent	U.S. Filling	Inventors	Title	Assignment.	Emplication
	Dockel			10 40		Recorded	Date
	No:	17: No.	371 (c)			(Reel	
	* I	4 . 12	Date i	4	·	Frame, Date)	4.44
							November
					* .		21, 2002
	05725.	10/312,083	December	Patricia	COSMETIC	Reel 014039,	U.S.
ı	1187-		23, 2002	LEMANN	COMPOSITION	Frame 0976.	Published
	00000				COMPRISING	on March 26,	Application
			371 (c)	н	AN EMULSION	2003	No. US
			Date:		CONTAINING A		2003/016180
			. March 26,		LIQUID FATTY	*	7 A1
			.2003	н	PHASE		Dated:
					STRUCTURED	- N	August 28,
-	÷.				WITH A		2003
					POLYMER, AND		
.					AN ALKYLÉNE-	. :	
ļ			·		OXIDE-		
-					CONTAINING		
1					EMULSION		
Ì			·		STABILIZER		
Ī	05725.	10/450,108	June 11,	Nathalie	COSMETIC	Not vet	U.S.
1	1198-		2003	COLLIN	COMPOSITION	filed/recorded	Published
1	00000	· · · ·		×	COMPRISING A		Application
		× ×	371 (c)	-	POLYMER AND	·	No. US
	j		Date: June		FIBERS	4	2004/002863
			11, 2003				6 A1
ı					х .		Dated:
				·			February 12,
							2004
	05725.	10/466,166	July 14,	Nathalie	COSMETIC	Filed January	Not yet
	1228-		2003	COLLIN	COMPOSITION	20, 2004.	published
1	00000				COMPRISING A	Not yet	•
		٠	371 (c)	*	MIXTURE OF	recorded.	· .
		×	Date:		POLYMERS		5
			January	-		×	
L		х 🕶 🔭	20, 2004				·
ſ	05725.	10/459,636	June 12,	Shao Xiang	COSMETIC	Filed October	Not yet
	1336-		2003	LU and	EMULSIONS	3, 2003; not	published
	00000	•		Mohamed	CONTAINING AT	yet recorded	
	·.		*	KANJI	LEAST ONE	× .	·
					HETERO	• • •	
					POLYMER AND	× ,	* ************************************
			*		A SUNSCREEN		ж
					AND METHODS		
ľ		- _*		•	OF USING	*	·
L		•			SAME	·	
١	05725.	10/618,315	July 11,	Shao Xiang	COSMETIC	Filed August	Not yet
	1337-		2003	LU, Terry	COMPOSITIONS	12, 2003 and	published
	00000	• •		VAN LIEW,	COMPRISING A	January 30,	
				and	STRUCTURING	2004; not yet	
•			. 1	Nathalie	AGENT,	recorded	· I

Attorney	S Patente	U.S. Filing	layon oro	\ \sigma_arrib		
Docket	Application		miventois	Title	Assignment	Publication,
No.	No.	371 (c)		14 M	Recorded (Date
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 10	Date			rs (Reel, Frame, Date)	
			GEFFROY-	SILICONE	i iding, Date	. A. 13
			HYLAND	POWDER AND		
		• •		SWELLING		
				AGENT		
05725.	10/746,612	December	Shao Xiang	COSMETIC	Not yet	Not yet
1338-		22, 2003	LU, Terry	COMPOSITIONS	filed/recorded	published
01000			VAN LIEW,	COMPRISING A		
			Nathalie	STRUCTURING		
	<u>'</u> .		GEFFROY-	AGENT,	-	
· '			HYLAND, and	SILICONE		
]		Mohamed	POWDER AND SWELLING		
			KANJI	AGENT	·	
05725.	10/747,412	December	Shao Xiang	COSMETIC	Not yet	Not yet
1338-		22, 2003	LU and	EMULSIONS	filed/recorded	published
02000-		•	Mohamed	CONTAINING AT		
			KANJI	LEAST ONE		
•				HETERO	×	•
			·	POLYMER AND		
			* *	AT LEAST ONE		
				SUNSCREEN AND METHODS		
				FOR USING THE		
	·			SAME	·	. *
06028.	10/203,375	August 9,	Nathalie	COLOURED	Reel 013318,	U.S.
0018-		2002	JAGER-	TRANSPARENT	Frame 0962,	Published
00000			LEZER and	OR	on August 9,	Application
	×	371 (c)	Jean-	TRANSLUCENT	2002	No. US
		Date:	Christophe	COSMETIC		2003/002677
		August 9, 2002	SIMON	COMPOSITION		2 A1
М	· × · .	2002				Dated:
	×					February 6, 2003
06028.	10/203,374	August 9,	Jean-	METHOD FOR	Reel 013321,	U.S
0019-		2002	Christophe	MAKING A	Frame 0001;	Published
00000			SIMON	COLOURED	on August 9,	Application
. :	. *	371 (c)	and	MAKE-UP	2002	No. US
		Date:	Nathalie	COSMETIC		2003/004436
[· · · ·]		August 9,	JAGER-	COMPOSITION		7 A1
		2002	LEZER	WITH		Dated: March
				CONTROLLED		6, 2003
				TRANSMITT- ANCE		
	·			VIACE		

A. Copending Applications and Patents

Applicant has considered whether any potential issues arise under 35 U.S.C. § 102(e)/§ 103 regarding copending, related applications and patents.

35 U.S.C. § 102(e) states that

[a] person is entitled to a patent unless (e) the invention was described in - (1) an application for patent, published under § 122(b), by another filed in the United States before the invention by the application for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effect under this subsection of a national application published under section 122(b) only if the international application designating the United States was published under Article 21(2)(a) of such treaty in the English language; or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that a patent shall not be deemed filed in the United States for the purposes of this subsection based on the filing date of an international application filed under the treaty defined in section 351(a)...

See 35 U.S.C. § 102(e) (emphasis added).

Applicant has identified the related copending applications and patents above in Table 3 that were filed prior to January 24, 2000, the priority date of all claims of the present application, as explained above. Applicant does not believe that any of the identified copending U.S. Patent Applications or any relevant publications thereof or relevant PCT publications of a counterpart thereof, describes or suggests the subject matter of claims 133-153 of the present application under 35 U.S.C. § 102(e) and/or § 103.

Also listed in Table 3 is the publication information (U.S. Published Applications and/or U.S. Patents), if any, which correspond to these copending applications and their dates of publication. Moreover, Applicant has provided for the Examiner's convenience

the assignment information in Table 3 or confirmed the obligation of assignment with the assignee, demonstrating that none of these applications, patents, or publications is available as § 102(e)/§ 103 prior art against claims 133-153. See 35 U.S.C. § 103(c). Applicant asserts that all of the applications listed above that were filed prior to the instant application's priority date were commonly owned by the Assignee at the time the instant invention was made, which instant invention was also subject to assignment to the Assignee.

For the Examiner's convenience, Applicant submits herewith copies of the pending claims in each of the copending applications and patents listed in Table 3.

See Claims at Exhibit 3. Applicant does not believe that any issue with respect to statutory double patenting under 35 U.S.C. § 101 is present with respect to claims 133-153 of the instant application and the claims of any other copending application or patent listed in Table 3.

B. <u>Terminal Disclaimer</u>

Further, solely to expedite prosecution of the instant application, Applicant also submits herewith a Terminal Disclaimer. This Terminal Disclaimer evidences no admission and raises no presumption or estoppel. See M.P.E.P. § 804.02 (quoting Quad Environmental Technologies Corp. v. Union Sanitary District, 20 U.S.P.Q.2d 1392 (Fed. Cir. 1992) for the propositions that "the filing of a terminal disclaimer simply serves the statutory function of removing the rejection of double patenting, and raises neither presumption nor estoppel on the merits of the rejection"). The Terminal Disclaimer is effective and is filed to eliminate the possibility of such a rejection or a rejection based

any of the enumerated files, *i.e.*, to obviate a double patenting rejection, as stated in the language of the terminal disclaimer.

V. Conclusion

In view of the foregoing amendments and remarks, Applicant respectfully requests consideration of the application, and timely allowance of the pending claims.

Please grant any extensions of time required to enter this response and charge any fee due in connection with this Amendment to our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

By: Michael & Hour

Michelle E. O'Brien Reg. No. 46,203

Dated: February 27, 2004

Attachments:

Exhibit 1 - <u>International Cosmetic Ingredient Dictionary and Handbook</u> ("CTFA") page 606

Exhibit 2 - Certified Translation of French Priority Document

Exhibit 3 - Pending Claims in Copending Applications

EXHIBIT 1

International Cosmetic Ingredient Dictionary and Handbook ("CTFA") page 606

Information Sources: CIR: [SQ]

Chemical Class: Synthetic Polymers

Functions: Binder; Film Former; Viscosity

Increasing Agent - Nonaqueous

Technical/Other Name:

2-Propencic Acid, Polymer with Ethene and

Ethenyl Acetata

ETHYLENE BRASSYLATE

CAS No. 105-95-3 EINECS No. 203-347-8

Empirical Formula:

C15H26O4 Definition: Ethylene Brassylate is the cyclic ester that conforms to the formula:

Information Sources: 21 CFR172.515, RIFM,

TSCA

Chemical Cless: Esters

Function: Fregrance Ingredient

Reported Product Categories: Foundations; Moisturizing Praparations; Claansing Products (Cold Creame, Cleaneing Lotions, Liquids and Pads); Personal Cleanliness Products, Misc.

Technical/Other Names:

1,4-Dioxecycloheptadecane-5,17-dione Ethylana brassylete (RiFM) Ethylene Undacene Dicarboxylate

Trade Name:

AEC Ethylane Brassylate (A & E Connock)

ETHYLENE/CALCIUM ACRYLATE COPOLYMER

CAS No.: 26445-96-5

Empirical Formula:

(C3H4O2 · C2H4)x · xCe

Definition: Ethylene/Calcium Acrylata Copolymer is a copolymer of ethylene and

celcium acrylata monomers.

Information Sources: 21 CFR175.105, CIR:

[SQ]

Chemical Cless: Synthetic Polymers

Functions: Binder; Film Former

Technical/Other Name:

2-Propenoic Acid, Polymer with Ethene, Calcium Salt

ETHYLENE CARBONATE

CAS No.

EINECS No.

96-49-1

202-510-0

Empirical Formula:

C3H4O3

Definition: Ethylene Carbonate is the organic compound that conforms to the formula:

Information Sources: JCIC, JCLS

Chemical Class: Esters Function: Solvent Technical/Other Neme: 1,3-Dioxolan-2-one

ETHYLENEDIAMINE/STEARYL DIMER DILINOLEATE COPOLYMER

Definition: Ethylenadiamina/Staaryl Dimer Dilinolaete Copolymar is a copolymar of ethylenediamine end steeryl dimer dilinolaete

Chemical Class: Synthetic Polymars

Functions: Orel Cere Agent; Skin-Conditioning Agent - Miscelleneous; Viscosity Increesing

Trade Neme:

Agant - Nonequaous

UNICLEAR (Arizone)

ETHYLENEDIAMINE/STEARYL DIMER TALLATE COPOLYMER

Definition: Ethylenediemine/Steeryl Dimer Tallete Copolymer is a copolymer of ethylenediemine end tall oil dimar acid monomars, endblocked with steeryl alcohol.

Chemical Class: Synthetic Polymers

Functions: Oral Care Agent; Skin-Conditioning

Agent - Miscallenaous; Viscosity Increesing

Agent - Nonequeous

Trade Name:

UNICLEAR (Arizone)

ETHYLENE DICHLORIDE

CAS Nos.

EINECS Nos.

107-06-2

203-458-1

1300-21-6

215-077-8

Empirical Formula:

C,H,CL,

Definition: Ethylene Dichloride is the halogenated aliphatic hydrocarbon that conforms to the lormula:

CICH, CH, CI

Information Sources: 21 CFR165.110. 21CFR172.560, 21CFR172.710, 21CFR172.864. 21CFR173.165, 21CFR173.230, 21CFR173.315 21CFR175.105, 21CFR573.440, EEC(II-125), FCC, MI-12(3843), TSCA

Chemical Class: Halogen Compounds

Function: Not Reported Technical/Other Names: Dichloroethane Ethane, 1,2-Dichloro-

ETHYLENE DIHYDROGENATED TALLOWAMIDE

Definition: Ethylene Dihydrogeneted Tallowamide is the diamide that conforms generally to the formule:

where RCO- represents the fetty ecids derived from hydrogeneted tallow.

Chamical Cless: Amides

Function: Viscosity Increasing Agent -

Nonagueous

Technical/Other Names:

N.N'-1,2-Ethanediylbis(Hydrogeneted Tallo

(Hydrogenated Tallowamide), N,N'-1,2-Ethanediyibls-

ETHYLENE DILINOLEAMIDE

Definition: Ethylene Dilinoleamide is the condensation product of ethylenediemine with Dilinoleic Acid (a.v.).

Information Sources: JCIC, JCLS

Chemical Class: Amidee

Function: Skin-Conditioning Agent -

Miscallaneous

Technical/Other Name:

Condensate of Dilinoleic Acld and Ethylene diamina

ETHYLENE DIOLEAMIDE

CAS No. 110-31-6

EINECS No.

203-756-1

The inclusion of any compound in the Dictionary and Handbook does not indicate that use of that substance as a cosmetic ingredient complies with the laws and regulations governing such use in the United States or any other country.

EXHIBIT 2

Certified Translation of French Priority Document

EXHIBIT 3

Pending Claims in Copending Applications

24/02 '04 18:10 FAX

UNITED STATES PATENT AND TRADEMARK OFFICE

I, Charles Edward SITCH BA,

Deputy Managing Director of RWS Group plc UK Translation Division, of Europa House, Marsham Way, Gerrards Cross, Buckinghamshire, England declare;

- 1. That I am a citizen of the United Kingdom of Great Britain and Northern Ireland.
- 2. That the translator responsible for the attached translation is well acquainted with the French and English languages.
- 3. That the attached is, to the best of RWS Group plc knowledge and belief, a true translation into the English language of the accompanying copy of the specification filed with the application for a patent in France on 24 January 2000 under the number 00/00,920 and the official certificate attached hereto.
- 4. That I believe that all statements made herein of my own knowledge are true and that all statements made on information and belief are true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the patent application in the United States of America or any patent issuing thereon.

For and on behalf of RWS Group plc The 24th day of February 2004

[MEL

FRENCH REPUBLIC



PATENT

UTILITY CERTIFICATE - CERTIFICATE OF ADDITION

OFFICIAL COPY

The Director-General of the Institut National de la Propriété Industrielle certifies that the attached document is a true copy of an application for industrial property titleright filed at the Institute.

Drawn up in Paris, 17 NOV. 2000

On behalf of the Director-General of the Institut National de la Propriété Industrielle The Patent Department Head

[signature]

Martine PLANCHE

LA PROPRIETE

REGISTERED OFFICE INSTITUT 26 bis, rue de Seint Pelerebourg
NATIONAL DE 75800 PARIS Cédex 08
A PROPRIETE Telephone: 01 53 04 53 04 Fax: 01 42 93 59 30 INDUSTRIELLE http://www.inpl.fr



PATENT

UTILITY CERTIFICATE

REQUEST FOR GRANT 2/2

SUBMISSION OF DOCUMENTS DATE 24 JAN.26	000	<u> </u>			
PLACE 75					
NATIONAL REGISTRATION No 00/00, ASSIGNEO BY THE INPI		,920		DE 540 W /260899	
Your file references:		OA00012/CL			
(optional)		<u> </u>	_		
6 REPRESENTATIVE					
Name		LHOSTE			
Forename		Catherine			
Firm or Company		L'ORÉAL			
No. of permanent power of attorney		4412			
and/or contractua		6, rue Bertrand Sincholle			
Address	Street	o, fue Dertrand Sinc.	HOTTE		
Addless	Postcode and town	92585 CLICHY	cedex		
Telephone No. (option		01.47.56.77.60			
Fax No. (optional)	,	01.47.56.79.90			
E-mail address (option	onal)				
7 INVENTOR (S)					
The inventors are the applicants		☐ Yes ☑ No In this case, provide a separate designation of the inventor(s)			
8 SEARCH REPORT		For a patent application only (including division and conversion)			
Immediate compilation					
Deferred compilation					
Fee paid in	instalments	Payment in three instalments, for natural persons only			
,		☐ Yes ☑ No			
9 REDUCTION OF	FEES	For natural persons only			
		Requested for the first time for this invention (attach notice on non-application)			
		☐ Requested prior to filing (attach copy of favourable decision for this invention or indicate its			
-		reference)			
If you used the "continuation" form, give the number of attached pages					
10 SIGNATURE OF OR REPRESEN (name and capa				SIGNED FOR THE PREFECTURE OR THE INPI	
Catherine LHOSTE [signature]				P. BERNOUIS	



PATENT

UTILITY CERTIFICATE

Intellectual Property Code - Book VI



26 bis, rue de Saint Pétersbourg 75800 Paris Cedex 08 Telephone: 01 53 04 53 04 Fax: 01 42 94 86 54

REQUEST FOR GRANT 1/2

Reserved for the IN	01	This form is to be filled in legibly in black ink DB 540 W /25089		
SUBMISSION OF DOCUMENTS DATE 24 JAN. 2000	<u></u>	1 NAME AND ADDRESS OF THE APPLICANT OR THE REPRESENTATIVE TO WHOM THE CORRESPONDENCE IS TO BE ADDRESSED		
PLACE 75 NATIONAL REGISTRATION No. 00/00,92	0	L'ORÉAL Catherine LHOSTE/DPI		
ASSIGNED BY THE INPI	-	6, rue Bertrand Sincholle		
DATE OF FILING ASSIGNED BY THE INPI 24	JAN. 2000	92585 CLICHY cedex		
Your file references: (optional) OA00012/CL				
Confirmation of filing by fax	No. assigned by	the INPI to the fax		
2 NATURE OF THE APPLICATION	Tick one of the	4 following boxes		
Patent application				
Utility certificate application				
Divisional application				
· Initial patent app	lication No.	Date:/		
or initial utility certificate app	lication No.	Date/		
Conversion of a European patent application Initial applic	ation No.	. Date		
TRANSFER-RESISTANT COMP	OSITION STRUCTURE	ED IN RIGID FORM WITH A POLYMER		
PRIORITY DECLARATION OR	Country or organis			
APPLICATION FOR THE BENEFI THE FILING DATE OF A PRIOR	Country or organis	sation No.		
FRENCH APPLICATION	Country or organis	sation / No.		
	☐ If there are otl	her priorities, tick the box and use the "continuation" form		
5 APPLICANT	☐ If there are oti	☐ If there are other applicants, tick the box and use the "continuation" form		
Name or company name	L'ORÉAL			
Forenames				
Legal form	S.A.			
SIREN No.		· · · · ·		
APE-NAF Code				
Street	14, rue Royale			
Address				
Postcode and town	75008 PAR	<u>IS</u>		
Country	FRANCE			
Nationality Talankara May (autional)	French			
Telephone No. (optional)	01.47.56.77.60			
Fax No. (optional) F-mail address (optional)	01.47.56.79.90			
· · · · · · · · · · · · · · · · · · ·	•			



PATENT



UTILITY CERTIFICATE

Intellectual Property Code - Book VI

PATENTS DIVISION

26 bis, rue de Saint Pétersbourg 75800 Paris Cedex 08

I number 79 17 of & January 1079 relation to date

DESIGNATION OF THE INVENTOR(S) Page No. . 1 . / . 1 (if the applicant is not the inventor or the sole inventor)

Telephone: 01 53 04 53 04 Fax: 01 42 93 59 30		This form is to be filled in legibly in black ink		DB 113 W /260899			
Your file references (optional)		OA00012/CL					
NATIONAL REGISTRATION NO.		00/00,920					
TITLE OF THE INVE	NTION (200 characters or	spaces maximum)	-	· ·			
TRANSFER-RESI	STANT COMPOSIT	TION STRUCTU	RED IN RIGID FORM WITH A POLYMER				
THE APPLICANT(S)	:						
L'ORÉAL 14, rue Royale 75008 PARIS							
DESIGNATE(S) AS and number each pa	INVENTOR(S): (Indicage, indicage)	ate top right "Pa tal number of pag	ge 1/1". If there are more than 3 inventors, use les.)	an identical form			
Name		FERRARI	FERRARI				
Forenames		Véronique					
Address	Street	12, rue Victor Hugo					
	Postcode and town	94700	MAISONS-ALFORT				
Employer company (optional)							
Name							
Forenames							
Address	Street						
	Postcode and town						
Employer company (optional)							
Name							
Forenames							
Address	Street						
	Postcode and town			-			
Employer company (optional)							
DATE AND SIGNATURE(S) OF THE APPLICANT(S) OR OF THE REPRESENTATIVE (Name and capacity of the signatory) 14 February 2000		[sign at ure]					
Catherine LHOSTE		1					

nian. Filan and sivil libertian analism to the annuary sivan in this form

The present invention relates to a care composition and/or treatment composition and/or make-up composition for the skin, including the scalp, and/or for the lips of human beings, containing a liquid fatty phase comprising a volatile solvent, structured with a specific polymer. This composition is especially in the form of a stick of make-up and more especially of lipstick, and when applied it gives a noteworthy glossy, transfer-resistant deposit.

It is common to find a structured, i.e. gelled and/or rigidified, liquid fatty phase in cosmetic dermatological products; this is especially the case in compositions solid deodorants, lip such as lipsticks, concealer products and cast foundations. This structuring is obtained with the aid of waxes and/or fillers. Unfortunately, these waxes and fillers have a tendency to make the composition matt, which is not always desirable, in particular for a lipstick; specifically, women are always on the lookout for a lipstick in tube form which deposits a film which is more and more glossy.

For the purposes of the invention, the expression "liquid fatty phase" means a fatty phase which is liquid at room temperature (25°C), composed of one or more fatty substances that are liquid at room temperature, also referred to as oils, that are generally mutually compatible.

The structuring of the liquid fatty phase makes it possible in particular to limit its exudation from solid compositions, in particular in hot and humid regions, and in addition to limit, after deposition on the skin or the lips, the migration of this phase in wrinkles and fine lines, which is particularly desired for a lipstick. Specifically, large migration of the liquid fatty phase, in particular when it is charged with dyestuffs, leads to an unesthetic effect around the lips and the eyes, which particularly accentuates wrinkles and fine lines. This migration is often mentioned by women as being a major defect of conventional lipsticks.

The gloss is essentially associated with the nature of the liquid fatty phase. Thus, it is possible to reduce the content of waxes and/or fillers in the composition in order to increase the gloss of a lipstick, but in this case the migration of the liquid fatty phase increases. In other words, the content of waxes and of fillers required to prepare a stick of suitable hardness which does not exude at room temperature are a restricting factor on the gloss of the deposit.

The Applicant has found that the loss of gloss of a stick containing waxes is associated with the anisotropic crystal structure of these compounds. It is thus envisaged manufacturing a stick by reducing the content of wax and/or fillers.

Furthermore, most make-up compositions or care compositions, when applied to the skin, the eyelashes or the lips, have the drawback of transferring, i.e. of becoming at least partly deposited, leaving marks, on certain supports with which they may come into contact, and especially a glass, a cup, a cigarette, an item of clothing or the skin. This results in mediocre persistence of the film applied, making it necessary to regularly reapply the composition, especially a foundation or lipstick. However, users nowadays wish to achieve a beauty enhancement of their face, including the lips, and their body while spending as little time as possible doing so. Moreover, the appearance of these unacceptable marks, especially on shirt collars, may put certain women off using this type of make-up.

Cosmeticians have been interested for many years in "transfer-resistant" lipstick compositions and more recently in transfer-resistant foundation compositions. Thus, the company Shiseido has envisaged, in its patent application JP-A-61-65809, transfer-resistant lipstick compositions containing a siloxysilicate resin (with a three-dimensional network), a volatile silicone oil containing a cyclic silicone chain and pulverulent fillers. Similarly, the company Noevier has disclosed, in document JP-A-62-61911, transfer-resistant lipstick, eyeliner and foundation compositions comprising one or

more volatile silicones combined with one or more hydrocarbon-based waxes.

Although these compositions have improved transfer-resistance properties, they have the drawback of leaving on the lips, after the silicone oils have evaporated off, a film which becomes uncomfortable over time (sensation of drying out and of tautness), which puts a certain number of women off this type of lipstick. In addition, the film deposited is matt.

Moreover, the company Procter Gamble envisaged, in its patent application WP-A-96/40044, lipstick compositions with transfer-resistance properties, containing a volatile oil and a non-volatile oil, such as perfluoropolyether, that incompatible. are application also discloses the improvement of the gloss by means of predispersing an oily phase in a matrix, and the ability of this oily phase to segregate out when the product is applied to the support and to migrate to the surface of the film thus deposited.

This system has the drawback of needing good dispersion of the oily phase in the matrix, and may give rise to problems of stability of the product that are associated with the necessary poor compatibility of the oily phase with the matrix (segregation of the composition in its packaging). Furthermore, the fluoro oils have the drawback of being difficult to formulate, in particular in

anhydrous media, thus limiting the range of cosmetic products that can be produced industrially.

The company Revlon has also envisaged, in document US-A-5 837 223, combining a fluorinated Guerbet ester with a siloxysilicate resin and volatile solvents such as cyclic silicones. The presence of siloxysilicate resin again leads to uncomfortable, matt films. Furthermore, the presence of fluoro oil makes the cosmetic products difficult to formulate. In patent US-A-5 849 275, the company Revlon has also envisaged combining a fluoro polymer with volatile solvents such as cyclic silicones. In this case also, the presence of fluoro compounds makes the cosmetic products difficult to formulate.

Patent application EP-A-0 775 483 from L'Oréal discloses liquid lipstick compositions containing an aqueous continuous medium comprising a polymer dispersion capable of forming a transfer-resistant, glossy continuous film on the lips. Unfortunately, these compositions lead to a film on the lips, that are constantly in movement, which is uncomfortable and gives a sensation of tautness. In addition, it is very difficult to introduce pigments into these compositions without destabilizing them.

Patent application EP-A-0 749 746 from L'Oréal discloses lipstick compositions containing a dispersion of polymer particles that are surface-stabilized with a polymer stabilizer. These compositions have the drawback

of containing only a small proportion of polar oils that are known to give sheen to the film deposited, in conventional compositions. In particular, the presence of a large proportion of polar oils (at least 5%) results in flocculation of the particles and thus instability over time of the compositions.

A need thus remains for a composition which does not have the above drawbacks, and which especially has noteworthy transfer-resistance properties, even in the case of a pronounced pressure or friction, good staying power over time, a glossy appearance, and it does not dry out the skin or the lips onto which it is applied, either during application or over time. Furthermore, this composition is stable over time, easy to manufacture and easy to introduce pigments therein.

A subject of the invention is, precisely, a care composition and/or make-up composition and/or treatment composition for the skin and/or the lips of the face and/or for superficial body growths, which overcomes the drawbacks mentioned above.

Surprisingly, the Applicant has found that the use of specific polymers combined with one or more volatile solvents allows a stick to be obtained which, when applied to the lips, gives a film with noteworthy cosmetic properties. In particular, the film is glossy, flexible, comfortable and transfer-resistant. Furthermore, the

composition is stable over time and does not exude at room temperature.

The term "stable" refers to a composition which does not exude at room temperature for at least 2 months, or even up to 9 months.

The invention applies not only to make-up products for the lips, such as lipsticks, lip glosses and lip pencils, but also to care and/or treatment products for the skin, including the scalp, and for the lips, such as antisun care products for the human face or the lips, especially in stick form make-up products for the skin, both of the human face and body, such as foundations optionally cast in stick or dish form, concealer products, eye shadows, transfer tattoos, body hygiene products such form, deodorants especially in stick shampoos, conditioners and make-up products for the eyes such as eyeliners, eye pencils and mascaras more especially in cake form, as well as make-up and care products for the face, the body and keratin fibers such as the hair and the eyebrows.

More specifically, a subject of the invention is a structured composition containing at least one liquid fatty phase comprising at least one volatile solvent, the liquid fatty phase being structured with at least one polymer with a weight-average molecular mass ranging from 1 000 to 30 000, comprising a) a polymer skeleton having

hydrocarbon-based repeating units containing at least one hetero atom, and b) pendent and/or terminal fatty chains that are optionally functionalized, containing from 12 to 120 carbon atoms and being linked to these hydrocarbon-based units, the liquid fatty phase and the polymer forming a physiologically acceptable medium.

The composition of the invention advantageously contains no silicone resin containing siloxysilicate or trimethylated silica units, so as to preserve the comfort properties of the composition.

The composition of the invention can be in the form of a paste, a solid or a more or less viscous cream. It can be an oil-in-water or water-in-oil emulsion, or a rigid or soft anhydrous gel. In particular, it is in a form cast as a stick or a dish and more especially in the form of an anhydrous rigid gel, especially an anhydrous stick. More especially, it is in the form of a translucent or transparent rigid gel, the liquid fatty phase forming the continuous phase.

The gelation of the oil can be modified depending on the nature of the polymer containing a hetero atom used, and may be such that a rigid structure in the form of a tube or a stick is obtained. When these tubes are colored, they make it possible, after application, to obtain a uniformly colored and glossy deposit, which does not transfer, in particular onto a support placed in

contact with the film, after the volatile solvent has evaporated off and which has good staying power, in particular of the color over time.

The structuring polymer in the composition of the invention is a solid that is undeformable at room temperature (25°C). It is capable of structuring the composition without opacifying it.

For the purposes of the invention, the expression "functionalized chain" means an alkyl chain comprising one or more functional or reactive groups chosen in particular from hydroxyl, ether, oxyalkylene, polyoxyalkylene, halogen, including fluoro or perfluoro, ester, siloxane and polysiloxane groups. In addition, the hydrogen atoms of one or more fatty chains may be substituted at least partially with fluorine atoms.

For the purposes of the invention, the term "polymer" means a compound containing at least 2 repeating units.

For the purposes of the invention, the expression "hydrocarbon-based repeating units" means a unit containing from 2 to 80 carbon atoms and preferably from 2 to 60 carbon atoms, bearing hydrogen atoms and optionally oxygen atoms, which may be linear, branched or cyclic, and saturated or unsaturated. These units each also comprise one or more hetero atoms that are non-pendent and are in the polymer skeleton. These hetero atoms are chosen from

nitrogen, sulfur and phosphorus atoms and combinations thereof, optionally combined with one or more oxygen atoms.

These units containing a hetero atom are, in particular, amide units forming a skeleton of the polyamide type, carbamate and/or urea units forming a polyurethane, polyurea and/or polyurea-urethane skeleton. These units are preferably amide units. The pendent chains are advantageously linked directly to at least one of the hetero atoms of the polymer skeleton.

Between the hydrocarbon-based units, the polymer may comprise silicone units or oxyalkylene units.

In addition, the polymer in the composition of the invention advantageously comprises from 40% to 98% of fatty chains relative to the total number of units containing a hetero atom and of fatty chains, and better still from 50% to 95%. The nature and proportion of the units containing a hetero atom depends on the nature of the liquid fatty phase and is, in particular, similar to the nature of the fatty phase. Thus, the more the units containing a hetero atom are polar and in high proportion in the polymer, which corresponds to the presence of several hetero atoms, the greater the affinity of the polymer for polar oils. Conversely, the more non-polar, or even apolar, the units containing a hetero atom, or the lower the proportion thereof, the greater the affinity of

the polymer for apolar oils.

A subject of the invention is also a structured composition containing at least one liquid fatty phase comprising at least one volatile solvent, the liquid fatty phase being structured with at least one polyamide with a weight-average molecular mass ranging from 1 000 to 30 000, comprising a) a polymer skeleton containing amide repeating units, and b) optionally, pendent and/or terminal fatty chains that are optionally functionalized, containing from 12 to 120 carbon atoms and being linked to these amide units, the liquid fatty phase and the polymer forming a physiologically acceptable medium.

The pendent fatty chains are preferably linked to at least one of the nitrogen atoms of the amide units.

In particular, the fatty chains of this polyamide represent from 40% to 98% of the total number of amide units and of fatty chains, and better still from 50% to 95%.

As preferred structuring polymers which may be used in the invention, mention may be made of polyamides branched with pendent fatty chains and/or terminal fatty chains containing from 12 to 120 carbon atoms and in particular from 12 to 68 carbon atoms, the terminal fatty chains being linked to the polyamide skeleton via ester groups. These polymers are more especially the ones disclosed in document US-A-5 783 657 from Union Camp. Each

of these polymers in particular satisfies formula (I) below:

in which n denotes a number of amide units such that the number of ester groups represents from 10% to 50% of the number of ester and amide groups; R1 independently in each case, an alkyl or alkenyl group containing at least 4 carbon atoms; R² represents, independently in each case, a C_4 to C_{42} hydrocarbon-based group, on condition that 50% of the groups R2 represent a C_{30} to C_{42} hydrocarbon-based group; R^3 represents, independently in each case, an organic group containing at least 2 carbon atoms, hydrogen atoms and optionally one or oxygen or nitrogen atoms; and R4 represents, independently in each case, a hydrogen atom, a C_1 to C_{10} alkyl group or a direct bond to R3 or to another R4, such that the nitrogen atom to which both ${\ensuremath{R}}^3$ and ${\ensuremath{R}}^4$ are attached forms part of a heterocyclic structure defined by R^4-N-R^3 , with at least 50% of the groups R^4 representing a hydrogen atom.

In particular, the ester groups of formula (I), which form part of the terminal and/or pendent fatty

chains for the purposes of the invention, represent from 15% to 40% of the total number of ester and amide groups and better still from 20% to 35%. Furthermore, n is advantageously an integer ranging from 1 to 5. Preferably, R^1 is a C_{12} to C_{22} and preferably C_{16} to C_{22} alkyl group. Advantageously, R^2 can be a C_{10} to C_{42} hydrocarbon-based (in particular alkyl or alkenyl) group having a fatty acid structure which is polymerized or dimeric, the carboxylic acid groups of which have been removed (these groups being used for the formation of the amide). Preferably, at least 50% and better still 75% of the groups R^2 are groups containing from 30 to 42 carbon atoms. The other groups R² are C_4 to C_{19} and better still C_4 to C_{12} hydrogen-containing groups. Preferably, R^3 represents a C_2 to C_{36} hydrocarbonbased group or a polyoxyalkylene group and R4 represents a hydrogen atom. Preferably, R^3 represents a C_2 to C_{12} hydrocarbon-based group. The hydrocarbon-based groups may be linear, cyclic or branched, saturated or unsaturated groups. Moreover, the alkyl and alkenyl groups may be linear or branched groups.

The polymer in the composition of the invention advantageously comprises a weight-average molecular mass ranging from 2 000 to 20 000 and better still from 2 000 to 10 000.

According to the invention, the structuring of the liquid fatty phase is obtained with the aid of one or more

polymers of formula (I). In general, the polymers of formula (I) are in the form of mixtures of polymers, these mixtures also possibly containing a synthetic product such that n is 0, i.e. a diester.

As examples of structuring polymers which can be in the composition according to the invention, mention may be made of the commercial products sold by Boake Allen under the names Uniclear 80 Uniclear 100. They are sold, respectively, in the form of an 80% (in terms of active material) gel in a mineral oil and a 100% (in terms of active material) gel. They have a softening point of from 88°C to 94°C. These commercial products are a mixture of copolymers of a C₃₆ diacid coupled with ethylenediamine, having an average molecular mass of about 6 000. Moreover, the remaining acid endings are esterified with cetylstearyl alcohol.

As structuring polymers which can be used in the invention, mention may also be made of polyamide resins resulting from the condensation of an aliphatic dicarboxylic acid and a diamine (including compounds containing more than 2 carbonyl groups and 2 carbonyl and amine groups groups), the of adjacent individual units being condensed via an amide bond. These polyamide resins are, in particular, those sold under the brand name Versamid® by General Mills Inc. and Henkel Corp. (Versamid 930, 744 or 1655) or by the company Olin Mathieson Chemical Corp. under the brand name Onamid[®], in particular Onamid S or C. These resins have a weight-average molecular mass ranging from 6 000 to 9 000. For further information regarding these polyamides, reference may be made to the documents US-A-3 645 705 and US-A-3 148 125. More especially, Versamid[®] 930 or 744 is used.

The polyamides sold by Union Camp Corp. under the references Uni-Rez (2658, 2931, 2970, 2621, 2613, 2624, 2665, 1554, 2623 and 2662) and the product sold under the reference Macromelt 6212 by the company Henkel may also be used. For further information regarding these polyamides, reference may be made to document US-A-5 500 209.

The structuring polymers in the composition of the invention advantageously have a softening point of greater than 70°C, which may be up to 190°C. They preferably have a softening point ranging from 80°C to 130°C. These polymers are, in particular, non-waxy polymers.

The polymer is advantageously combined with at least one amphiphilic compound that is liquid and nonvolatile at room temperature, having a hydrophilic/lipophilic balance (HLB) of less than 12 and in particular ranging from 1 to 8 and preferably from 1 to 5. According to the invention, one or more amphiphilic compounds may be used. The aim of these amphiphilic compounds is to reinforce the structuring properties of

the polymer containing a hetero atom, to facilitate the use of the polymer and to improve the ability of the stick to be deposited.

According to the invention, the composition can have a hardness ranging from 20 N to 600 N and better still from 150 N to 450 N. This hardness may be measured according to a method of penetration of a probe into said composition and in particular using a texture analyzer (for example TA-XT2 from Rhéo) equipped with an ebonite cylinder 5 mm long and 8 mm in diameter. The hardness measurement is carried out at 20°C at the center of 5 samples of said composition. The cylinder is introduced into each composition sample at a pre-speed of 2 mm/s, then at a speed of 0.5 mm/s and finally at a post-speed of 2 mm/s, the total displacement being 1 mm. The hardness value taken is that of the maximum peak.

The hardness may also be measured by the so-called cheese wire method, which consists in cutting a stick of lipstick 8.1 mm in diameter and in measuring the hardness at 20°C using a DFGHS 2 tensile testing machine from Indelco-Chatillon, traveling at a speed of 100 mm/minute. It is expressed as the shear force (expressed in grams) required to cut a stick under these conditions. According to this method, the hardness of a composition in stick form according to the invention ranges from 30 g to 50 g. This hardness is very different from those of the stick

compositions of the prior art containing waxes, which ranges from 60 g to 120 g.

The hardness of the composition according to the invention is such that the composition is self-supporting and can disintegrate easily to form a satisfactory deposit on the skin and/or the lips and/or superficial body growths. In addition, with this hardness, the composition of the invention has good impact strength.

According to the invention, the composition in stick form has the behavior of a deformable, flexible elastic solid, giving noteworthy elastic softness on application. The compositions in stick form of the prior art do not have this property of elasticity and flexibility.

The amphiphilic compound(s) which can be used in the composition of the invention comprise a lipophilic linked to a polar part, the lipophilic comprising a carbon-based chain containing at least 8 carbon atoms, in particular from 18 to 32 carbon atoms and better still from 18 to 28 carbon atoms. The polar part of this or these amphiphilic compound(s) is preferably the residue of a compound chosen from alcohols and polyols containing from to 12 hydroxyl groups, polyoxyalkylenes comprising at least 2 oxyalkylene units and containing from 0 to 20 oxypropylene units and/or from 0 to 20 oxyethylene units. In particular, the amphiphilic compound is an ester chosen from the hydroxystearates, oleates and isostearates of glycerol, of sorbitan and of methylglucose, or alternatively branched C_{12} to C_{26} fatty alcohols such as octyldodecanol, and mixtures thereof. Among these esters, monoesters and mixtures of mono- and diesters are preferred.

The content of amphiphilic compound and of polymer containing a hetero atom are chosen according to the desired gel hardness and as a function of the specific application envisaged. The respective amounts of polymer and of amphiphilic compound should be such that they produce a stick which can be worn down. In practice, the amount of polymer represents from 0.5% to 80% of the total weight of the composition, and better still from 5% to 40%. The amount of amphiphilic compound in practice represents from 0.1% to 35% of the total weight of the composition, and better still from 1% to 15%, if it is present.

The liquid fatty phase of the composition advantageously contains more than 40% of liquid oil(s) containing a group similar to that of the units containing a hetero atom, and better still from 50% to 100%. In particular, the liquid fatty phase structured with a polyamide-type skeleton contains a major quantity, i.e. greater than 40% relative to the total weight of the liquid fatty phase and better still from 50% to 100%, of

apolar liquid oil or mixture of oils and more especially hydrocarbon-based oil(s).

For a liquid fatty phase structured with a polymer containing a partially silicone-based skeleton, this fatty phase preferably contains more than 40% relative to the total weight of the liquid fatty phase, and better still from 50% to 100% of silicone-based liquid oil or mixture of oils, relative to the total weight of the liquid fatty phase.

For a liquid fatty phase structured with an apolar polymer of the hydrocarbon-based type, this fatty phase advantageously contains more than 40% by weight, and better still from 50% to 100%, of liquid apolar, and in particular hydrocarbon-based, oil or mixture of oils, relative to the total weight of the liquid fatty phase.

In particular, the polar oils of the invention are:

- hydrocarbon-based plant oils with a high content of triglycerides consisting of fatty acid esters of glycerol in which the fatty acids may have varied chain lengths from C_4 to C_{24} , these chains possibly being linear or branched, and saturated or unsaturated; these oils are, in particular, wheat germ oil, corn oil, sunflower oil, karite butter, castor oil, sweet almond oil, macadamia oil, apricot oil, soybean oil, cotton oil, alfalfa oil, poppy oil, pumpkin oil, sesame oil, marrow oil, rape seed

oil, avocado oil, hazelnut oil, grape seed oil or blackcurrant seed oil, evening primrose oil, millet oil, barley oil, quinoa oil, olive oil, rye oil, safflower oil, candlenut oil, passion flower oil and musk rose oil; or alternatively caprylic/capric acid triglycerides such as those sold by Stearineries Dubois or those sold under the names Miglyol 810, 812 and 818 by Dynamit Nobel;

- synthetic oils or esters of formula R_5COOR_6 in which R_5 represents a linear or branched fatty acid residue containing from 1 to 40 carbon atoms and R_6 represents an in particular branched hydrocarbon-based chain containing from 1 to 40 carbon atoms, with the proviso that $R_5 + R_6 \ge 10$, such as, for example, purcellin oil (cetostearyl octanoate), isononyl isononanoate, C_{12} - C_{15} alkyl benzoate, isopropyl myristate, 2-ethylhexyl palmitate, isostearyl isostearate, and alkyl or polyalkyl octanoates, decanoates or ricinoleates; hydroxylated esters such as isostearyl lactate and diisostearyl malate; and pentaerythritol esters;

- synthetic ethers containing from 10 to 40 carbon atoms;
- C₈ to C₂₆ fatty alcohols such as oleyl alcohol;
- mixtures thereof.

The apolar oils according to the invention are, in particular, silicone oils such as volatile or nonvolatile, linear or cyclic polydimethylsiloxanes (PDMSs) that are liquid at room temperature; polydimethylsiloxanes

comprising alkyl, alkoxy or phenyl groups which pendent and/or at the end of the silicone chain, 2 24 groups containing from to carbon atoms; phenylsilicones phenyltrimethicones, such as phenyldimethicones, phenyltrimethylsiloxydiphenylsiloxanes, diphenyldimethicones, diphenylmethyldiphenyltrisiloxanes and 2-phenylethyltrimethylsiloxysilicates; linear or branched hydrocarbons synthetic or mineral origin, such as volatile liquid paraffins or nonvolatile liquid paraffins and derivatives thereof, petroleum jelly, liquid lanolin, polydecenes, hydrogenated polyisobutene such as parleam, and squalane, and mixtures thereof. The structured oils, and more especially those structured with polyamides particular those of formula (I) or the polyurethanes or polyureas or polyurea-urethanes, are preferably apolar oils and more especially an oil or a mixture of oils of the hydrocarbon-based type of mineral or synthetic origin, chosen in particular from hydrocarbons, especially alkanes such as parleam oil, isoparaffins such as isododecane, and squalane. and mixtures thereof. These oils are advantageously combined with one or more phenylsilicone oils.

The liquid fatty phase preferably contains at least one nonvolatile oil chosen in particular from hydrocarbon-based oils of mineral, plant or synthetic

origin, synthetic esters or ethers and silicone oils, and mixtures thereof.

In practice, the total liquid fatty phase represents from 5% to 99% relative to the total weight of the composition, preferably from 20% to 75%.

The liquid fatty phase in the composition according to the invention also contains at least one volatile solvent, i.e. one or more volatile solvents.

For the purposes of the invention, the expression "volatile solvent" means any nonaqueous medium capable of evaporating on contact with the skin or the lips in less than one hour at room temperature and atmospheric pressure. The volatile solvent(s) of the invention is(are) organic solvents and in particular volatile cosmetic oils that are liquid at room temperature, having a non-zero vapor pressure, at room temperature and atmospheric pressure, ranging in particular from 10⁻³ to 300 mmHg and preferably greater than 0.3 mmHg.

According to the invention, these volatile solvents facilitate, in particular, the application of the composition to the skin, the lips or superficial body growths. These solvents may be hydrocarbon-based solvents, silicone solvents optionally comprising alkyl or alkoxy groups that are pendent or at the end of a silicone chain, or a mixture of these solvents. Preferably, these solvents are not monoalcohols containing at least 7 carbon atoms.

As volatile solvents which can be used in the invention, mention may be made of linear or cyclic silicone oils having a viscosity at room temperature of less than 8 cSt and in particular containing from 2 to 7 silicon atoms, these silicones optionally comprising alkyl or alkoxy groups containing from 1 to 10 carbon atoms. As volatile silicone oils which may be used in the invention, may mention be made in particular octamethylcyclotetrasiloxane, decamethylcyclopentasiloxane, dodecamethylcyclohexasiloxane, heptamethylhexyltrisiloxane, heptamethyloctyltrisiloxane, hexamethyldisiloxane, octamethyltrisiloxane, decamethyltetrasiloxane and dodecamethylpentasiloxane, and mixtures thereof.

As other volatile solvents which may be used in the invention, mention may be made of hydrocarbon-based volatile oils containing from 8 to 16 carbon atoms, and mixtures thereof, and in particular branched C_8 - C_{16} alkanes such as C_8 - C_{16} isoalkanes (also known as isoparaffins), isododecane, isodecane, isohexadecane and, for example, the oils sold under the trade names "Isopars" or "Permetyls", and branched C_8 - C_{16} esters such as isohexyl neopentanoate, and mixtures thereof. The volatile solvent is preferably chosen from hydrocarbon-based volatile oils containing from 8 to 16 carbon atoms, and mixtures thereof.

Volatile fluoro solvents may also be used.

Isododecane (Permetyls 99 A) and C_8-C_{16} isoparaffins (Isopars L, E, H) and mixtures thereof, optionally combined with decamethyltetrasiloxane, are preferably used.

These volatile oils in particular represent a mass content of from 5% to 97.5% relative to the total weight of the composition, preferably from 10% to 75% and better still from 15% to 45%. In general, the amount of volatile solvent used is an amount which is sufficient to obtain transfer-resistance properties. This amount will be adapted by a person skilled in the art according to the desired intensity of the transfer-resistance properties.

The composition of the invention can also comprise additive usually used in the field consideration, chosen in particular from dyestuffs, antioxidants. essential oils, preserving agents, fragrances, fillers, waxes, products that are pasty at temperature, neutralizing agents, room liposoluble polymers or polymers that are dispersible in the medium, cosmetic or dermatological active agents such as, for example, emollients, moisturizers, vitamins, essential acids, sunscreens, dispersants such poly(12-hydroxystearic acid), and mixtures thereof. These additives may be present in the composition in proportion of from 0% to 20% (in particular from 0.01% to 20%) relative to the total weight of the composition and better still from 0.01% to 10%. The composition advantageously contains at least one cosmetic or dermatological active agent.

The composition of the invention can also contain, as additive, an aqueous phase containing water that is optionally thickened or gelled with an aqueous-phase thickener or gelling agent and optionally water-miscible compounds.

Needless to say, a person skilled in the art will take care to select the optional additional additives and/or the amount thereof such that the advantageous properties of the composition according to the invention are not, or are not substantially, adversely affected by the envisaged addition.

The composition according to the invention can be in the form of a tinted dermatological composition or a care composition for keratin materials such as the skin, the lips and/or superficial body growths, in the form of an antisun composition or body hygiene composition in particular in the form of a deodorant product or make-up-removing product in stick form. It can be used in particular as a care base for the skin, superficial body growths or the lips (lip balms, for protecting the lips against cold and/or sunlight and/or the wind, or care cream for the skin, the nails or the hair).

The composition of the invention may also be in the form of a colored make-up product for the skin, in particular a foundation, optionally having care or treating properties, a blusher, a face powder, an eye shadow, a concealer product, an eyeliner, a make-up product for the body; a make-up product for the lips such as a lipstick, optionally having care or treating properties; a make-up product for superficial body growths such as the nails or the eyelashes, in particular in the form of a mascara cake, or for the eyebrows and the hair, in particular in the form of a pencil.

Needless to say, the composition of the invention should be cosmetically or dermatologically acceptable, i.e. it should contain a nontoxic physiologically acceptable medium and should be able to be applied to the skin, superficial body growths or the lips of human beings. For the purposes of the invention, the expression "cosmetically acceptable" means a composition of pleasant appearance, odor and feel.

The composition advantageously contains at least one cosmetic active agent and/or one dermatological active agent and/or at least one dyestuff. By means of the combination of at least one volatile solvent and of at least one polymer with a weight-average molecular mass ranging from 1 000 to 30 000, as defined above, trapping of the active agents and dyestuffs present in the

composition is obtained, making it possible to keep them where they were applied, i.e. on the lips, the skin or superficial body growths such as keratin fibers, after the volatile solvent(s) has(have) evaporated off, and to limit their transfer or redeposition onto a support other than the one to which they were applied.

The dyestuff according to the invention may be chosen from the lipophilic dyes, hydrophilic dyes, pigments and nacres usually used in cosmetic or dermatological compositions, and mixtures thereof. This dyestuff is generally present in a proportion of from 0.01% to 50% relative to the total weight of the composition, preferably from 5% to 30%, if it is present.

The liposoluble dyes are, for example, Sudan Red, D&C Red 17, D&C Green 6, β -carotene, soybean oil, Sudan Brown, D&C Yellow 11, D&C Violet 2, D&C Orange 5 or quinoline yellow. They can represent from 0.1% to 20% of the weight of the composition and better still from 0.1% to 6%.

The pigments may be white or colored, mineral and/or organic, and coated or uncoated. Among the mineral pigments which may be mentioned are titanium dioxide, optionally surface-treated, zirconium oxide or cerium oxide, as well as iron oxide, chromium oxide, manganese violet, ultramarine blue, chromium hydrate and ferric blue. Among the organic pigments which may be mentioned

are carbon black, pigments of D & C type, and lakes based on cochineal carmine or on barium, strontium, calcium or aluminum. The pigments can represent from 0.1% to 50% and better still from 2% to 30% relative to the total weight of the composition, if they are present.

The nacreous pigments may be chosen from white nacreous pigments such as mica coated with titanium or with bismuth oxychloride, colored nacreous pigments such as titanium mica with iron oxides, titanium mica with, in particular, ferric blue or chromium oxide, titanium mica with an organic pigment of the type mentioned above, as well as nacreous pigments based on bismuth oxychloride. They can represent from 0.1% to 20% relative to the total weight of the composition, and better still from 0.1% to 15%, if they are present.

The composition can optionally contain one or more waxes to improve the structuring in stick form, although this rigid form can be obtained in the absence of wax. For the purposes of the present invention, a wax fatty compound is solid lipophilic that at room (25°C), temperature which undergoes reversible а solid/liquid change of state, having a melting point of greater than 40°C which may be up to 200°C, and having an anisotropic crystal organization in the solid state. The size of the crystals is such that the crystals diffract and/or scatter light, giving the composition a cloudy,

more or less opaque appearance. By bringing the wax to its melting point, it is possible to make it miscible with oils and to form a microscopically homogeneous mixture, but on returning the temperature of the mixture to room temperature, recrystallization of the wax in the oils of the mixture is obtained. It is this recrystallization in the mixture which is responsible for the reduction in the composition gloss of said mixture. Thus, the advantageously contains little or no and wax, particular less than 5% wax.

For the purposes of the invention, the waxes are those generally used in cosmetics and dermatology; they are especially of natural origin, for instance beeswax, carnauba wax, candelilla wax, ouricury wax, Japan wax, cork fiber wax, sugar cane wax, paraffin wax, lignite wax, microcrystalline waxes, lanolin montan wax. ozokerites and hydrogenated oils such as hydrogenated jojoba oil as well as waxes of synthetic origin, instance polyethylene waxes derived from the polymerization of ethylene, waxes obtained by Fischer-Tropsch synthesis, fatty acid esters and glycerides that are solid at 40°C, silicone waxes such as alkyl- and alkoxy-poly(di)methylsiloxanes and/or poly(di)methylsiloxane esters that are solid at 40°C.

The composition of the invention also advantageously contains at least one polymer that is

liposoluble or dispersible in the medium, especially average molecular weight of from 500 an still 1 000 000 and better from 5 000 to 15 000. liposoluble polymer(s) This (these) contribute(s) increasing the viscosity particular toward improving the staying power of the film. These liposoluble polymers advantageously have a softening point of not more than 30°C.

As examples of liposoluble polymers which can be invention, mention may in the be made used polyalkylenes, in particular polybutene, poly(meth)acrylates, alkylcelluloses with a linear or branched, saturated or unsaturated C₁ to C₈ alkyl radical, ethylcellulose and propylcellulose, silicone polymers that are compatible with the fatty phase, as well as vinylpyrrolidone (VP) copolymers, and mixtures thereof.

Vinylpyrrolidone copolymers, copolymers of a C2 to C_{30} and better still C_3 to C_{22} alkene, and combinations thereof, are preferably used. As examples of VP copolymers which can be used in the invention, mention may be made of VP/ethyl VP/vinvl acetate, methacrylate, butvlated polyvinylpyrrolidone (PVP), VP/ethyl methacrylate/methacrylic acid, VP/eicosene, VP/hexadecene, VP/triacontene, VP/styrene or VP/acrylic acid/lauryl methacrylate copolymer.

Preferably, not only for the staying power

properties but also the feel and consistency properties of the film, the PVP/hexadecene copolymer having an average molecular weight of from 7 000 to 7 500 or alternatively the PVP/eicosene copolymer having an average molecular weight of from 8 000 to 9 000 is used.

The liposoluble or dispersible polymers in the composition of the invention are advantageously used in an amount of from 0.01% to 20% (as active material) relative to the total weight of the composition and better still from 1% to 10%, if they are present.

The composition according to the invention also advantageously contains at least one fatty compound that is pasty at room temperature. For the purposes of the invention, the expression "pasty fatty substances" means fatty substances with a melting point ranging from 20°C to 55°C, preferably 25°C to 45°C, and/or a viscosity at 40°C ranging from 0.1 to 40 Pa.s (1 to 400 poises), preferably 0.5 to 25 Pa.s, measured using a Contraves TV or Rhéomat 80 viscometer, equipped with a spindle rotating at 60 Hz. A person skilled in the art can select the spindle for measuring the viscosity from the spindles MS-r3 and MS-r4, on the basis of his general knowledge, so as to be able to carry out the measurement of the pasty compound tested.

According to the invention, one or more pasty fatty substances are used. These fatty substances are preferably hydrocarbon-based compounds, optionally of

polymeric type; they can also be chosen from silicone compounds and/or fluoro compounds; they may also be in the form of a mixture of hydrocarbon-based compounds and/or silicone compounds and/or fluoro compounds. In the case of a mixture of different pasty fatty substances, the hydrocarbon-based pasty compounds are preferably used in major proportion.

Among the pasty compounds which may be used in the composition according to the invention, mention may be of lanolins and lanolin derivatives acetylated lanolins or oxypropylenated lanolins, having a 21 Pa.s, preferably 19 viscosity of from 18 to 20.5 Pa.s, and/or a melting point of from 30°C to 55°C, and mixtures thereof. It is also possible to use esters of fatty acids or of fatty alcohols, in particular those containing from 20 to 65 carbon atoms (melting point of about from 20°C to 35°C and/or viscosity at 40°C ranging from 0.1 to 40 Pa.s), such as triisostearyl or cetyl arachidyl propionate; polyvinyl citrate; laurate; cholesterol esters, such as triglycerides of plant origin, such as hydrogenated plant oils, viscous polyesters such as poly(12-hydroxystearic acid), and mixtures thereof. Triglycerides of plant origin which may be used are hydrogenated castor oil derivatives, such as "Thixinr" from Rheox.

Mention may also be made of pasty silicone fatty

substances such as polydimethylsiloxanes (PDMSs) containing pendent chains of the alkyl or alkoxy type containing from 8 to 24 carbon atoms, and having a melting point of 20-55°C, such as stearyldimethicones, in particular those sold by Dow Corning under the trade names DC2503 and DC25514, and mixtures thereof.

The pasty fatty substance(s) may be present in a proportion of from 0.1% to 60% by weight, relative to the total weight of the composition, preferably in a proportion of from 1% to 45% by weight, and even more preferably in a proportion of from 2% to 30% by weight, in the composition, if they are present.

The composition according to the invention may be manufactured by the known processes, that are generally used in cosmetics or dermatology. It may be manufactured by the process which consists in heating the polymer at least to its softening point, in adding the amphiphilic compound(s), the dyestuffs and the additives thereto and then in mixing everything together until a clear, transparent solution is obtained. After reducing the temperature, the volatile solvent(s) is(are) then added to the mixture obtained. The homogeneous mixture obtained can then be cast in a suitable mold such as a lipstick mold or directly into the packaging articles (case or dish in particular).

A subject of the invention is also a lipstick

composition in stick form containing at least one continuous liquid fatty phase comprising at least one volatile solvent, the liquid fatty phase being structured with at least one non-waxy polymer giving the composition the appearance of a deformable elastic solid with a hardness ranging from 30 g to 50 g, in the absence of wax.

This lipstick composition in stick form advantageously contains an additive chosen from fatty compounds that are pasty at room temperature, liposoluble polymers and mixtures thereof, as defined previously. The non-waxy polymer is preferably a polymer whose skeleton comprises hydrocarbon-based units containing a hetero atom, as defined previously.

A subject of the invention is also a cosmetic care, make-up or treatment process for the keratin materials of human beings, and in particular of the skin, the lips and superficial body growths, comprising the application to the keratin materials of the composition, in particular the cosmetic composition, as defined above.

A subject of the invention is also the use of the combination of at least one volatile solvent and of at least one polymer with a weight-average molecular mass ranging from 1 000 to 30 000, comprising a) a polymer skeleton containing hydrocarbon-based repeating units containing at least one hetero atom, and b) optionally pendent and/or terminal fatty chains that are optionally

functionalized, containing from 12 to 120 carbon atoms and being linked to these hydrocarbon-based units, in a cosmetic composition or for the manufacture of a physiologically acceptable composition, in order to reduce the transfer and/or deposit of traces of a film of said composition, applied to the keratin materials, onto a support placed in contact with said film and/or to improve the staying power of said film. This film is also glossy and/or comfortable to wear.

The invention is illustrated in greater detail in the examples which follow. The percentages are given on a weight basis.

Example 1: Lipstick

Phase A

•	Uniclear 100		
•	Castor oil		
•	Hydrogenated isoparaffin	4%	
•	Isononyl isononanoate	4%	
•	Phenyltrimethylsiloxytrisiloxane	88	
•	Vinylpyrrolidone/1-eicosene copolymer	2%	
Phase B			
•	Pigments	10%	
•	Hydrogenated isoparaffin	5%	
•	Liquid lanolin	5%	
•	Poly(12-hydroxystearic acid)	2%	
Phase C			
•	Isododecane	25%	
•	Decamethyltetrasiloxane	10%	

The pigment phase (B) is ground using a three-roll mill and introduced into the oily phase A preheated to 100°C, until the mixture is fully homogenized. The volatile phase C is then added to the above mixture, cooled to 85°C. The resulting mixture is left in contact for 10 min and then cast into lipstick molds.

The lipstick obtained deposits a glossy, transferresistant film. This lipstick was judged by testers to be equal in staying power and transfer-resistance properties to those of a transfer-resistant lipstick of the prior art as described in Example 1 of document EP-A-0 847 752, but glossier than the prior art lipstick. This known lipstick contained:

•	PDMS (100 Cst)	8%
•	Hydrogenated polyisobutene	18%
•	Arachidyl propionate	7.5%
•	Polyethylene wax	16.5%
•	Pigments/nacres	11%
•	Isododecane	qs 100%

Example 2: Lipstick

Phase A

•	Uniclear 100	18%
•	Castor oil	88
•	Hydrogenated isoparaffin	5%
•	Isononyl isononanoate	5%
•	Phenyltrimethylsiloxytrisiloxane	8%
•	Vinylpyrrolidone/1-eicosene copolymer	2%

Phase B

•	Pigments	10%
•	Hydrogenated isoparaffin	5%
•	Liquid lanolin	5%
•	Poly(12-hydroxystearic acid)	2%

Phase C

•	Isododecane	27%

5 ક

Decamethyltetrasiloxane

The pigment phase (B) is ground using a three-roll mill and introduced into the oily phase A preheated to 100°C, until the mixture is fully homogenized. The volatile phase C is then added to the above mixture, cooled to 85°C. The resulting mixture is left in contact for 10 min and then cast into lipstick molds.

The lipstick obtained deposits a glossy, transfer-resistant film. This lipstick was judged by a panel of testers to be equal in staying power and transfer-resistance properties to those of a transfer-resistant lipstick of the prior art as described in Example 1 of document EP-A-0 847 752, but glossier than the prior art lipstick.

.

CLAIMS

- 1. A structured composition containing at least one liquid fatty phase comprising at least one volatile solvent, the liquid fatty phase being structured with at least one polymer with a weight-average molecular mass ranging from 1 000 to 30 000, comprising a) a polymer skeleton having hydrocarbon-based repeating units containing at least one hetero atom, and b) pendent and/or terminal fatty chains that are optionally functionalized, containing from 12 to 120 carbon atoms and being linked to these hydrocarbon-based units, the liquid fatty phase and the polymer forming a physiologically acceptable medium.
- 2. A composition as claimed in claim 1, wherein the units containing a hetero atom are amides.
- 3. A composition as claimed in claim 1 or 2, wherein the fatty chains represent from 40% to 98% of the total number of units containing a hetero atom and of fatty chains.
- 4. A composition as claimed in one of the preceding claims, wherein the fatty chains represent from 50% to 95% of the total number of units containing a hetero atom and of fatty chains.
- 5. A composition as claimed in one of the preceding claims, wherein the pendent fatty chains are linked directly to at least one of said hetero atoms.

- A structured composition containing 6. least one liquid fatty phase comprising at least one volatile solvent, the liquid fatty phase being structured one polyamide with weight-average least а molecular mass ranging from 1 000 to 30 000, comprising a) a polymer skeleton containing amide repeating units, and b) optionally, pendent and/or terminal fatty chains that are optionally functionalized, containing from 12 to 120 carbon atoms and being linked to these amide units, liquid fatty phase and the polymer forming a the physiologically acceptable medium.
- 7. A composition as claimed in the preceding claim, wherein the fatty chains represent from 40% to 98% of the total number of amide units and of fatty chains.
- 8. A composition as claimed in claim 6 or 7, wherein the fatty chains represent from 50% to 95% of the total number of amide units and of fatty chains.
- 9. A composition as claimed in one of claims 6 to 8, wherein the pendent fatty chains are linked directly to at least one of the nitrogen atoms of the amide units.
- 10. A composition as claimed in one of the preceding claims, wherein the weight-average molar mass ranges from 2 000 to 20 000 and better still from 2 000 to 10 000.

- 11. A composition as claimed in one of the preceding claims, wherein the terminal fatty chains are linked to the skeleton via ester groups.
- 12. A composition as claimed in one of the preceding claims, wherein the fatty chains contain from 12 to 68 carbon atoms.
- 13. A composition as claimed in one of the preceding claims, wherein the polymer is chosen from the polymers of formula (I) below, and mixtures thereof:

in which n denotes a number of amide units such that the number of ester groups represents from 10% to 50% of the total number of ester and amide groups; R^1 is, independently in each case, an alkyl or alkenyl group containing at least 4 carbon atoms; R^2 represents, independently in each case, a C_4 to C_{42} hydrocarbon-based group, on condition that 50% of the groups R^2 represent a C_{30} to C_{42} hydrocarbon-based group; R^3 represents, independently in each case, an organic group containing at least 2 carbon atoms, hydrogen atoms and optionally one or more oxygen or nitrogen atoms; and R^4 represents, independently in each case, a hydrogen atom, a C_1 to C_{10}

alkyl group or a direct bond to R^3 or another R^4 , such that the nitrogen atom to which both R^3 and R^4 are attached forms part of a heterocyclic structure defined by R^4-N-R^3 , with at least 50% of the groups R^4 representing a hydrogen atom.

- 14. A composition as claimed in the preceding claim, wherein R^1 is a C_{12} to C_{22} alkyl group.
- 15. A composition as claimed in either of claims 13 and 14, wherein ${\mbox{R}}^2$ are groups containing from 30 to 42 carbon atoms.
- 16. A composition as claimed in one of the preceding claims, wherein the polymer represents from 0.5% to 80% relative to the total weight of the composition, and better still from 5% to 40%.
- 17. A composition as claimed in one of the preceding claims, wherein the volatile solvent is chosen from volatile hydrocarbon-based oils containing from 8 to 16 carbon atoms, and mixtures thereof.
- 18. A composition as claimed in one of the preceding claims, wherein the volatile solvent is chosen from branched C_8-C_{16} alkanes and branched C_8-C_{16} esters, and mixtures thereof.
- 19. A composition as claimed in one of the preceding claims, wherein the volatile solvent is chosen from $C_{\theta}-C_{16}$ isoparaffins and isododecane, and mixtures thereof.

- 20. A composition as claimed in one of the preceding claims, wherein the volatile solvent represents a mass content of from 5% to 97.5%, preferably from 10% to 75% and better still from 15% to 45%.
- 21. A composition as claimed in one of the preceding claims, wherein the liquid fatty phase also contains at least one nonvolatile oil.
- 22. A composition as claimed in one of the preceding claims, wherein the liquid fatty phase also contains at least one nonvolatile oil chosen from hydrocarbon-based oils of mineral, plant or synthetic origin, synthetic esters or ethers and silicone oils, and mixtures thereof.
- 23. A composition as claimed in one of the preceding claims, wherein the liquid fatty phase contains at least 40%, relative to the total weight of the liquid fatty phase, of apolar oil, and better still from 50% to 100% relative to the total weight of the liquid fatty phase.
- 24. A composition as claimed in one of the preceding claims, wherein the liquid fatty phase represents from 5% to 99% relative to the total weight of the composition, and better still from 20% to 75%.
- 25. A composition as claimed in one of the preceding claims, which constitutes a care and/or treatment and/or make-up composition for keratin

materials.

- 26. A composition as claimed in one of the preceding claims, which also contains at least one dyestuff.
- 27. A composition as claimed in claim 26, wherein the dyestuff is chosen from lipophilic dyes, hydrophilic dyes, pigments and nacres, and mixtures thereof.
- 28. A composition as claimed in claim 26 or 27, wherein the dyestuff is present in a proportion of from 0.01% to 50% relative to the total weight of the composition, preferably from 5% to 30%.
- 29. A composition as claimed in one of the preceding claims, which contains at least one additive water, antioxidants. from essential preserving agents, fragrances, fillers, waxes, compounds that are pasty at room temperature, neutralizers, polymers that are liposoluble or dispersible in the medium, cosmetic or dermatological active agents and dispersants, and mixtures thereof.
- 30. A composition as claimed in one of the preceding claims, which contains at least one polymer which is liposoluble or dispersible in the medium, chosen from vinylpyrrolidone copolymers and C_3 to C_{22} alkene copolymers, and combinations thereof.
 - 31. A composition as claimed in one of the

preceding claims, which is in the form of a rigid gel, and in particular an anhydrous stick.

- 32. A composition as claimed in one of the preceding claims, which is in the form of a mascara, eyeliner, foundation, lipstick, blusher, deodorant product, make-up-removing product, make-up product for the body, eye shadow, face powder, concealer product, shampoo, conditioner, antisun product or care product for the face or the body.
- 33. A composition as claimed in one of the preceding claims, which is in the form of a stick with a hardness ranging from 30 g to 50 g.
- 34. A lipstick composition in stick form containing at least one continuous liquid fatty phase comprising at least one volatile solvent, the liquid fatty phase being structured with at least one non-waxy polymer giving the composition the appearance of a deformable elastic solid with a hardness ranging from 30 g to 50 g, in the absence of wax.
- 35. A composition as claimed in claim 34, which also comprises at least one additive chosen from fatty compounds that are pasty at room temperature, liposoluble polymers, and mixtures thereof.
- 36. A cosmetic care, make-up or treatment process for the keratin materials of human beings, comprising the application of a cosmetic composition in

accordance with one of the preceding claims, to the keratin materials.

- 37. The use of a combination of at least one volatile solvent and of at least one polymer with a weight-average molecular mass ranging from 1 000 comprising 30 000, a) a polymer skeleton containing hydrocarbon-based repeating units containing at least one hetero atom, and b) optionally pendent and/or terminal optionally fattv chains that are functionalized, containing from 12 to 120 carbon atoms and being linked to these hydrocarbon-based units, in a cosmetic composition or for the manufacture of a physiologically acceptable composition, in order to reduce the transfer and/or deposit of traces of a film of said composition, applied to the keratin materials, onto a support placed in contact with said film and/or to improve the staying power of said film.
- 38. The use as claimed in the preceding claim, wherein the polymer is a polyamide comprising terminal groups with an ester group comprising a hydrocarbon-based chain containing from 10 to 42 carbon atoms.
- 39. The use as claimed in claim 37 or 38, wherein the volatile solvent is chosen from C_8-C_{16} isoparaffins and isododecane, and mixtures thereof.